

# MATERIAL SAFETY DATA SHEET 3-PRO473

Canutec 1-613-996-6666 (24 hours)

#### 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product identification :	3-PRO473
Product name :	Protectant
Chemical family :	Mixture
Supplier / Manufacturer :	Auto-Chem Inc.
	33 de Lyon
	Repentigny, QC, Canada
	J5Z 4Z3
	Tel : 450-654-9292
	Fax : 450-654-0633
	www.autochem.com
Contact :	Jean Dagenais

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS	Percentage	Exposure limits
Polydiméthylsiloxane emulsion	63148-62-9	10 – 30	No data.

# 3. HAZARDS IDENTIFICATION

## Potential acute health effects :

Eye contact :	Direct eye contact may cause temporary discomfort with mild redness and dryness.
Skin contact :	A single prolonged exposure (24 to 48 hours) causes no known adverse effects.
Inhalation :	No irritation to respiratory passages is expected from relatively short exposures of
	less than 8 hours.
Ingestion :	Small amounts transferred to the mouth by fingers during use should not injure.
	Swallowing large amounts may cause digestive discomfort.

#### Potential chronic health effects :

Eye contact :	None known.
Skin contact :	None known.
Inhalation :	None known.
Ingestion :	None known.

#### 4. FIRST AID MEASURES

- Eyes : Rinse immediately with water 15 to 20 minutes. Remove contact lenses. Obtain medical attention if irritation develops.
- Skin : In case of direct contact, rinse with running water 15 to 20 minutes. Remove contaminated clothing and wash with soap and water.
- Inhalation : Remove person to fresh air. In case of respiratory failure, give artificial respiration. In case of respiratory distress, obtain medical attention.

Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious or convulsing person. In case of respiratory or cardiac arrest, start cardio-pulmonary resuscitation and obtain medical attention.

### 5. FIRE FIGHTING MEASURES

 Flash point :
 Not flammable

 Auto-ignition temperature :
 Not applicable

 Flammability limits – air (%) :
 Not applicable

 Extinguishing media :
 Carbon dioxide (CO2), water spray, according to the nature of the fire. Dry chemical powder or water can be used to cool containers.

 Protective equipment :
 Fire fighters should wear full protective clothing, including self contained breathing equipment.

 Hazardous combustion materials :
 Carbon oxides.

### 6. ACCIDENTAL RELEASE MEASURES

Wear appropriate protection equipment.

 Small spill :
 Collect for elimination. Clean up remaining materials from spill with suitable absorbent.

 Large spill :
 Prevent entry into sewers or streams. Dike if needed. Pump (if possible) and store in a suitable container. Clean surfaces to reduce risk of slippage. Final cleaning may require steam, solvents or detergents.

### 7. HANDLING AND STORAGE

Handling : Safety glasses and chemicals resistant gloves.

Storage : Keep container closed. Do not freeze.

### 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering controls : General ventilation of work area is recommended.

Personal protection equipment for routine handling :

- Eye : Use adequate protection safety glasses at a minimum.
- Skin : Washing before meals and at end of shift is adequate.
- Gloves : Chemicals resistant gloves.
- Inhalation : Not needed under normal conditions.

Personal protection equipment for spills :

- Eyes : Use adequate protection safety glasses at a minimum.
- Skin : Washing before meals and at end of shift is adequate.
- Gloves : Chemicals resistant gloves.
- Inhalation : Not needed under normal conditions.
- Note : These precautions are for room temperature handling. Use at elevated temperatures of aerosol spray applications may require added protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state :

Liquid

Coulour : Odour :	Colourless None
pH @ 1% :	6.0 to 8.0
Relative density (g/cm3) :	1.0
Boiling point :	100 C
Freezing point :	0 C
Vapour pressure :	Not available
Volatiles (weight) :	Not determined
Solubility (water) :	Soluble
VOC (%) :	Not available
Viscosity :	Not available

### **10. STABILITY AND REACTIVITY**

Chemical stability :Stable.Hazardous polymerization :No.Conditions to avoid :None known.Materials to avoid :Strong oxidizers, acids.Dangerous decomposition products : Carbon dioxide, carbon monoxide.

### **11. TOXICOLOGICAL INFORMATION**

Ingredient	CAS	Percentage	Exposure limits
Polydiméthylsiloxane emulsion	63148-62-9	10 – 30	No data.

### **12. ECOLOGICAL INFORMATION**

Do not allow large quantities of the product or firefighting water runoff to enter sewers or waterways. Block sewers and ditches. Areas affected by a spill must be cleaned to their original condition or to the satisfaction of the authorities.

### **13. DISPOSAL CONSIDERATIONS**

Waste disposal method : Dispose according to municipal, provincial and federal regulations.

Contaminated packaging : According to municipal, provincial and federal regulations.

### 14. TRANSPORT INFORMATION

Not regulated for transport.

## 15. REGULATORY INFORMATION

WHIMS (Canada): Not regulated.

- DSL : All components of this product are either on the Domestic Substance List (DSL), the Non-Domestic Substance List (NDSL) or exempt.
- TSCA : U.S. TSCA Inventory Status : All components of this product are either on the Toxic Substances Control Act Inventory List or exempt.

# 16. OTHER INFORMATION

### Prepared by : Auto-Chem Inc.

#### Date : Sept. 2015

#### Notice to reader :

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Auto-Chem makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Auto-Chem's control and therefore users are responsible to verify this data under their own operation conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.