Printing date 11.11.2014

Revision: 11.11.2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

 Trade name: <u>Tire Sealant, Tire Sealant TPMS Safe, Smart Repair™ Tire Kit, Moto Repair™, Slime</u> SDS Tire Sealant

 Article number: 10004, 10007, 10017, 10019, 10020, 10047, 10149, 10100, 50057, 50048
 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Sealant

 1.3 Details of the supplier of the Safety Data Sheet
 Manufacturer/Supplier: (United States) Accessories Marketing, Inc. 125 Venture Drive, Suite 210, San Luis Obispo, CA 93401 Tel (805) 489-0490

(Canada) ITW Permatex Canada 35 Brownridge Rd., Unit 1, Halton Hills ON L7G 0C6 (905 693-8900 (Tel), (905) 864-8602 (Fax)

• **1.4 Emergency telephone number:** ChemTel Inc. (800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

The product is not classified as hazardous according to the CLP regulation.

• Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. • Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

This product does not have a classification according to the CLP regulation.

The product is not classified as hazardous according to OSHA GHS regulations within the United States. **Hazard pictograms** Not Regulated

(Contd. on page 2)

Printing date 11.11.2014

Revision: 11.11.2014

Trade name: Tire Sealant, Tire Sealant TPMS Safe, Smart Repair™ Tire Kit, Moto Repair™, Slime SDS Tire Sealant

(Contd. of page 1) Signal word Not Regulated · Hazard-determining components of labelling: None. · Hazard statements Not Regulated · Hazard description: · WHMIS-symbols: Not hazardous under WHMIS. · NFPA ratings (scale 0 - 4) Health = 0Fire = 1Reactivity = 0 · HMIS-ratings (scale 0 - 4) I Health = 0 1 Fire = 1 FIRE **REACTIVITY** Reactivity = 0 · HMIS Long Term Health Hazard Substances None of the ingredients are listed. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: None in reportable quantities.

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: No special measures required.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Clean with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders.

(Contd. on page 3)

Printing date 11.11.2014

Revision: 11.11.2014

Trade name: Tire Sealant, Tire Sealant TPMS Safe, Smart Repair™ Tire Kit, Moto Repair™, Slime SDS Tire Sealant

(Contd. of page 2)

Dizziness

Coughing

• Hazards No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapour pressure when heated.

5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Allow to solidify. Pick up mechanically.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special measures required.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions:

Protect from contamination.

(Contd. on page 4)

Printing date 11.11.2014

Trade name: Tire Sealant, Tire Sealant TPMS Safe, Smart Repair™ Tire Kit, Moto Repair™, Slime SDS Tire Sealant

Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: No further relevant information available.
- · Respiratory protection: Not required.
- · Protection of hands: Not required.
- Eye protection:



Safety glasses

- · Body protection: Not required.
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information

· Appearance:	
Form:	Pasty
Colour:	Different according to colouring
· Odour:	Light
· Odour threshold:	Not determined.
[·] pH-value at 20 °C:	8,8 ± 1,0
· Change in condition	
Melting point/Melting range:	Not Determined.
Boiling point/Boiling range:	> 104 °C
· Flash point:	> 94 °C

(Contd. of page 3)

Revision: 11.11.2014

(Contd. on page 5)

Printing date 11.11.2014

Revision: 11.11.2014

Trade name: Tire Sealant, Tire Sealant TPMS Safe, Smart Repair™ Tire Kit, Moto Repair™, Slime SDS Tire Sealant

		(Contd. of page 4)
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	> 260 °C	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
[.] Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	0,9 Vol % Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1,16 ± 0,1 g/cm ³ Not determined. Not determined. Not determined.	
Solubility in / Miscibility with water:	Fully miscible.	
Partition coefficient (n-octanol/water)	: Not determined.	
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with alkali, amines and strong acids.

Reacts with strong oxidising agents.

• **10.4 Conditions to avoid** No further relevant information available.

• **10.5 Incompatible materials:** No further relevant information available.

• 10.6 Hazardous decomposition products: Possible in traces.

(Contd. on page 6)

Printing date 11.11.2014

Revision: 11.11.2014

Trade name: Tire Sealant, Tire Sealant TPMS Safe, Smart Repair™ Tire Kit, Moto Repair™, Slime SDS Tire Sealant

(Contd. of page 5)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

Primary irritant effect:

· on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitisation: No sensitising effects known.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

• **12.2 Persistence and degradability** The product is biodegradable after prolonged adaptation.

• **12.3 Bioaccumulative potential** No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

• **Remark:** Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

· Additional ecological information:

· General notes:

This statement was deduced from products with a similar structure or composition.

Avoid transfer into the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

(Contd. on page 7)

Printing date 11.11.2014

Revision: 11.11.2014

Trade name: Tire Sealant, Tire Sealant TPMS Safe, Smart Repair™ Tire Kit, Moto Repair™, Slime SDS Tire Sealant

(Contd. of page 6) Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA)

· SARA

• Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California):

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Contd. on page 8)

Printing date 11.11.2014

Revision: 11.11.2014

(Contd. of page 7)

Trade name: Tire Sealant, Tire Sealant TPMS Safe, Smart Repair™ Tire Kit, Moto Repair™, Slime SDS Tire Sealant

· Chemicals known to cause reproductive toxicity fo	r males:
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	

· Carcinogenic Categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients are listed.

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)

Printing date 11.11.2014

Revision: 11.11.2014

Trade name: Tire Sealant, Tire Sealant TPMS Safe, Smart Repair™ Tire Kit, Moto Repair™, Slime SDS Tire Sealant

(Contd. of page 8)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) • **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com