

SAFETY DATA SHEET (SDS)

			Secti	on 1. Identificati	on			
Product identifier TD-234								
Other means of	identification	194						
Recommended u	ise and restric	tions on use	ANTIFRICTION	TREATMENT				
Initial supplier i		PROLAB TECI	HNOLUB INC.	4531 RUE INDU	STRIELLE, THETFORD MINES,	(QUEBEC), G6H 2J1,		
				FAX : (418) 423-7				
Emergency tele	Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666							
Section 2. Hazard identification								
Classification of hazardous product (name of the category or subcategory of the hazard class)								
Skin irritation (C								
Eye irritation (Category 2A)								
Skin sensitization (category 1)								
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)								
should not be all with plenty of wa it before reuse. P Continue rinsing. with local, regior Other hazards k	ious eye irritati an allergic skin thing dust/fund owed out of the ater. P333 + P3 305+P351+P35 . P337 + P313 hal or national 1 frown Non	n reaction. e/gas/mist/vapou e workplace. P28 113 IF SKIN irrit 38 IF IN EYES, If eye irritation p regulations. e Sect	00 Wear gloves/pr ation or rash occu Rinse cautiously persists: Get medi	rotective clothing/ey urs: Get medical atte with water for seve		P352 IF ON SKIN: wash inated clothing and wash f present and easy to do. e container in accordance		
Chemical name	(common nan	ne/synonyms)			CAS number or other	Concentration (%)		
Phosphorodithioi			exyl and iso-Bu)	esters, zinc salts	68442-22-8	5-10		
Distillates (petroleum), mixture				61788-76-9; 64741-88-4; 64742- 01-4; 64742-65-0; 64741-89-5; 64742-48-9; 64742-52-5; 64742- 54-7	30-60			
Polysulfides, di-tert-Bu 68937-96-2 <7						< 7		
			Section	4. First-aid measurement	sures			
Inhalation					for breathing. Call a doctor if you fee			
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.							
Skin contact					20). IF SKIN irritation or rash occurs			
Eye contact			y with water for so ists: Get medical		20). Remove contact lenses, if present	and easy to do. Continue		
Most important					tion. Causes serious eve irritation			
Most important symptoms and effects (acute or delayed)Causes skin irritation. Causes serious eye irritation.Indication of immediate medical attention/special treatmentIn all cases, call a doctor. Do not forget this document.								
indication of fill	mediate media	cai attention/sp		Fire-fighting me				
Specific hazards	of the hazard	lous product (b			cubul to			
				stion products)				
Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media								
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.								
In case of fire: U	suitable exting	guishing media	wder agent and a	ppropriate foam to a	extinguish surrounding products			
	suitable exting se carbon dioxi	guishing media ide, chemical po			extinguish surrounding products.			
Special protectiv	suitable exting se carbon dioxi ve equipment a	guishing media ide, chemical po and precautions	s for fire-fighter	S		thers should wear proper		
Special protective During a fire, irriprotective equipment	suitable exting se carbon dioxi ve equipment a itating/toxic sm hent and self-co	guishing media ide, chemical po and precautions noke and fumes r ontained breathin	s for fire-fighters may be generated g apparatus with t	s l. Do not enter fire a full facepiece. Shiel	extinguish surrounding products. rea without proper protection. Firefig ld personnel to protect from venting, r ful in cooling equipment and cans expo	pturing or bursting cans.		



Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Avoid release to the environment. Collect spillage. Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: None

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Appearance, physical state/colour Brown liquid	Vapour pressure Not available				
Odour Characteristic	Vapour density Heavier than air				
Odour threshold Not available	Relative density 0.9562				
pH Not available	Solubility Not available				
Melting/freezing point -23°C	Partition coefficient - n-octanol/water Not available				
Initial boiling point/range Not available	Auto-ignition temperature Not available				
Flash point 208°C Open cup	Decomposition temperature Not available				
Evaporation rate Not available	Viscosity 188.1 cSt @ 40°C				
Flammability (solids and gases) Not available	VOC Not available				
Upper and lower flammability/explosive limits Not available	Other None known				
Section 10. Stability and reactivity					
Reactivity					
Does not react under the recommended storage and handling conditions prescrib	ped.				
Chemical stability					
Stable under the recommended storage and handling conditions prescribed.					
Possibility of hazardous reactions					
None					
Conditions to avoid (static discharge, shock or vibration)					
None					
Incompatible materials					
Oxidizing materials; etc.					
Hazardous decomposition products					
None known					



	Section 11. Toxicological information					
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)						
Causes skin irritation. Causes serious eye irritation.						
Symptoms related to the physical, chemical and toxicological characteristics						
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing;						
Delayed and immediate effects (chronic effects from short-term and long-term exposure)						
Skin Sensitization – Possible;						
Respiratory Sensitization – No data available;						
Germ Cell Mutagenicity – No data available;						
	Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA;					
Reproductive Toxicity – No data available;						
Specific Target Organ Toxicity — Single Exposure						
Specific Target Organ Toxicity — Repeated Expos	ure – No data available;					
Aspiration Hazard – No data available;						
Health Hazards Not Otherwise Classified - No data						
Numerical measures of toxicity (ATE; LD ₅₀ & L	C ₅₀)					
None						
ATE not available in this document.						
	Section 12. Ecological information					
Ecotoxicity (aquatic and terrestrial information)						
	lable for this product.					
Bioaccumulative potential No data available						
Mobility in soil No data available for this pro	duct.					
Other adverse effects No data available						
	Section 13. Disposal considerations					
Information on safe handling for disposal/metho						
Dispose of contents/container into safe container in accordance with local, regional or national regulations.						
	Section 14. Transport information					
UN number; Proper shipping name; Class(es); H	Packing group (PG) of the TDG Regulations					
NOT REGULATED						
UN number; Proper shipping name; Class(es); H	Packing group (PG) of the IMDG (maritime)					
NOT REGULATED						
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)						
NOT REGULATED						
Special precautions (transport/conveyance) None						
	one					
Bulk transport (usually more than 450 L in capacity) Possible						
	Section 15. Regulatory information					
	Refer to Section 2 for the appropriate classification. This product has been classified in accordance					
	with the hazard criteria of the Hazardous Products Regulations (HPR).					
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL					
Safety/health/environmental outside regulations						
United States OSHA information: This product is regulated according to OSHA (29 CFR).						
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.						
United States TCSA information: Refer to the ingredients listed in Section 3.						
National Fire Protection Association (NFPA):						
HEALTH: 1 FLAMMABILITY: 1 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3. HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe						
HAZARD SCALE: $0 =$ Minimal $1 =$ Slight $2 =$ Moderate $3 =$ Serious $4 =$ Severe California Proposition 65: This product contains traces of a material known to the State of California to cause cancer or other reproductive harm.						
Camorina rioposition 05. This product contains traces of a material known to the state of Camorina to cause cancer of other reproductive narm.						



Section 16. Other information					
Date of the latest revision of the safety data sheet April 09, 2018 version 1 (NSS ENTREPRISE INC.)					
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.				
Abbreviations					
ACGIH	American Conference of Governmental Industrial Hygienists				
ATE	Acute toxicity estimate				
CAS	Chemical Abstract Service				
DSL	Domestic Substance List				
IARC	International Agency for Research on Cancer				
IATA	International Air Transport Association				
IMDG	International Maritime Dangerous Goods Code				
LC	Lethal concentration				
LD	Lethal Dosage				
NIOSH	National Institute for Occupational Safety and Health				
NTP	National Toxicology Program (U.S.A.)				
OSHA	Occupational Safety and Health Administration (U.S.A.)				
PEL	Permissible Exposure Limit				
STEL	Short-term Exposure Limit				
TDG	Transport of dangerous goods in Canada				
TLV	Threshold Limit Value				
TSCA	Toxic Substances Control Act				
TWA	Time Weighted Average				
WHMIS	Workplace Hazardous Materials Information System				
The information	The information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s				
knowledge. PROLAB TECHNOLUB INC. Makes no warranty whatever expresses or implied of merchantability or fitness for the particular purpose.					
The information relates only to the specific material designated herein and does not relate to use in combination with any other material or in any					
process. Customers are encouraged to conduct their own tests. Before using the product, read its label. PROLAB TECHNOLUB INC. Assumes no					
responsibility for	responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.				