SAFETY DATA SHEET

1. Identification

Product identifier Fast Orange Grease-X Laundry Detergent

Other means of identification None

Recommended useLaundry detergent **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name ITW Permatex Canada

Address 35 Brownridge Road, Unit 1

Halton Hills, ON L7G 0C6

Canada

Telephone 1-905-693-8900

e-mail literature.canada@permatex.com

Emergency phone number 1-877-504-9352
Supplier See above.

2. Hazard identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation.

Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling.

Wear protective gloves. Wear eye/face protection.

Response IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.

Specific treatment (see information on this label). Take off contaminated clothing and wash it

before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures				
Chemical name	Common name and synonyms	CAS number	%	
Alcohols, C9-11, ethoxylated		68439-46-3	30	
Orange, sweet, extract		8028-48-6	2	
Citric Acid		77-92-9	1	

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Skin contact IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take

off contaminated clothing and wash it before reuse. Specific treatment (see information on this

label).

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Ingestion

Skin irritation. May cause redness and pain.

Most important

symptoms/effects, acute and delayed

Indication of immediate

treatment needed

Treat patient symptomatically.

medical attention and special

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wear rubber gloves and chemical splash goggles. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Hazardous combustion products

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide.

Not available.

During fire, gases hazardous to health may be formed.

May include and are not limited to: Oxides of carbon.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Never return spills in original containers for re-use. Clean surface thoroughly to remove residual contamination. Following product recovery, flush area with water. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes, skin and clothing.

Avoid breathing mist or vapour.

Wear appropriate personal protective equipment.

Provide adequate ventilation.

Observe good industrial hygiene practices. Store in original tightly closed container.

Conditions for safe storage, including any incompatibilities

Store away from incompatible materials (see Section 10 of the SDS).

Keep out of reach of children.

8. Exposure controls/Personal protection

No biological exposure limits noted for the ingredient(s).

Occupational exposure limits

Biological limit values Exposure guidelines

No exposure limits noted for ingredient(s).

See above

Appropriate engineering

controls

Ensure adequate ventilation.

#28481 Page: 2 of 6 Issue date 22-September-2017 Individual protection measures, such as personal protective equipment

Not normally required when used as directed. Eye/face protection

Skin protection

Hand protection Not normally required when used as directed.

Other Not normally required.

Not normally required under normal use conditions. Respiratory protection

Not applicable. Thermal hazards

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practices. Wash hands and face before breaks and immediately after handling the product. When using do not eat or drink.

9. Physical and chemical properties

Liquid **Appearance** Physical state Liquid. Liquid. **Form** Colour Amber Odour Citrus

Not available. **Odour threshold**

рΗ 8 - 9

Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

Flash point > 93.0 °C (> 199.4 °F)

Evaporation rate Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper

(%)

Not available.

Not available. Vapour pressure Vapour density > 1 (Air = 1)Relative density 1.05

Solubility(ies)

Solubility (Water) Soluble Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

Explosive limit < 1 (Butyl acetate = 1)

< 2 % VOC (Weight %)

10. Stability and reactivity

May react with incompatible materials. Reactivity Material is stable under normal conditions. **Chemical stability** Possibility of hazardous Hazardous polymerisation does not occur.

reactions

Conditions to avoid Do not mix with other chemicals.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

#28481 Page: 3 of 6 Issue date 22-September-2017

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contactCauses skin irritation.Eye contactCauses serious eye irritation.

Ingestion May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and toxicological characteristics

 $Symptoms \ may \ include \ stinging, \ tearing, \ redness, \ swelling, \ and \ blurred \ vision.$

Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Accute Dermai LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA 2006 mg/kg, 24 Hours, ECHA 2000 mg/kg, 24 Hours, ECHA 200 mg/kg, 14 Hours, ECHA 200 mg/kg, 14 Hours, ECHA 200 mg/kg, 14 Hours, ECHA 200 mg/kg, ECHA 3100 mg/kg, ECHA 3488 mg/k	Components	Species	Test results
Dermal	· · · · · · · · · · · · · · · · · · ·	CAS 68439-46-3)	
LD50			
Rat Rat 2216 mg/kg, 24 Hours, ECHA 2000 mg/kg, 24 Hours, ECHA 2100 mg/m³, 4 Hours, ECHA 2000 mg/k, 2000 mg/kg, 2000		Dahkit	> 2000 mag/kg; 24 Hayra FCHA
Rat 2000 mg/kg, 24 Hours, ECHA 5000 mg/kg, 24 Hours, ECHA 5000 mg/kg, 24 Hours, ECHA 5000 mg/kg, 24 Hours, ECHA 7000 mg/kg, 24 Hours, ECHA 7000 mg/m³, 6 hours, ECHA 7000 mg/kg, Air products 7000 mg	LD50	Rabbit	
Rat			
Inhalation			
Inhalation LC50		Rat	
LC50 Rat			> 2000 mg/kg, 24 Hours, ECHA
Section Sect			
Section Sect	LC50	Rat	-
Not available Not availabl			
Oral LD50 Rat > 5050 mg/kg, ECHA 5130 mg/kg, ECHA 4600 mg/kg, ECHA 4600 mg/kg, ECHA 3488 mg/kg, ECHA 1400 mg/kg, Air products 1378 mg/kg, SAX Citric Acid (CAS 77-92-9) Acute Dermal LD50 Rat > 2000 mg/kg, 24 Hours, ECHA Inhalation LC50 Mouse 5400 mg/kg, ECHA 5040 mg/kg, ECHA 6730 mg/kg, ECHA 6730 mg/kg, ECHA 6730 mg/kg, ECHA 6730 mg/kg, HSDB Orange, sweet, extract (CAS 8028-48-6) Acute Dermal LD50 Rabit > 5000 mg/kg, 24 Hours, ECHA 6730 mg/kg, ECHA 6730 mg/kg, HSDB			-
LD50			> 1.6 mg/L, 4 Hours, ECHA
5130 mg/kg, ECHA 4600 mg/kg, ECHA 3488 mg/kg, ECHA 1400 mg/kg, Air products 1378 mg/kg, SAX Citric Acid (CAS 77-92-9) Acute Dermal LD50 Rat > 2000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available Oral LD50 Mouse 5400 mg/kg, ECHA 5040 mg/kg, ECHA 6730 mg/kg, ECHA 6730 mg/kg, HSDB Orange, sweet, extract (CAS 8028-48-6) Acute Dermal LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available			
4600 mg/kg, ECHA 3488 mg/kg, ECHA 3488 mg/kg, ECHA 1400 mg/kg, Air products 1378 mg/kg, SAX	LD50	Rat	
3488 mg/kg, ECHA 1400 mg/kg, Air products 1378 mg/kg, SAX			5130 mg/kg, ECHA
1400 mg/kg, Air products 1378 mg/kg, SAX			4600 mg/kg, ECHA
1378 mg/kg, SAX			3488 mg/kg, ECHA
Citric Acid (CAS 77-92-9) Acute			1400 mg/kg, Air products
Acute Dermal > 2000 mg/kg, 24 Hours, ECHA LD50 Rat > 2000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available Oral LD50 Mouse 5400 mg/kg, ECHA 5040 mg/kg, HSDB 5040 mg/kg, HSDB Norange, sweet, extract (CAS 8028-48-6) 6730 mg/kg, HSDB Acute Dermal LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available			1378 mg/kg, SAX
Dermal LD50 Rat > 2000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available S400 mg/kg, ECHA S040 mg/kg, HSDB	Citric Acid (CAS 77-92-9)		
LD50 Rat > 2000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available	Acute		
Inhalation			
LC50 Not available Oral LD50 Mouse 5400 mg/kg, ECHA 5040 mg/kg, HSDB 5040 mg/kg, HSDB Rat 11700 mg/kg, ECHA 6730 mg/kg, HSDB Orange, sweet, extract (CAS 8028-48-6) Acute 6730 mg/kg, HSDB Dermal LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available		Rat	> 2000 mg/kg, 24 Hours, ECHA
Oral LD50 Mouse 5400 mg/kg, ECHA 5040 mg/kg, HSDB 5040 mg/kg, HSDB 11700 mg/kg, ECHA 6730 mg/kg, HSDB Orange, sweet, extract (CAS 8028-48-6) Acute Dermal LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available			
LD50 Mouse 5400 mg/kg, ECHA 5040 mg/kg, HSDB Rat 11700 mg/kg, ECHA 6730 mg/kg, ECHA 6730 mg/kg, HSDB Orange, sweet, extract (CAS 8028-48-6) Acute Dermal LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available		Not available	
5040 mg/kg, HSDB Rat 11700 mg/kg, ECHA 6730 mg/kg, HSDB Orange, sweet, extract (CAS 8028-48-6) Acute Dermal LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available	LD50	Mauaa	F400 ma/kg, FCHA
Rat 11700 mg/kg, ECHA 6730 mg/kg, HSDB Orange, sweet, extract (CAS 8028-48-6) Acute Dermal LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available		Mouse	
Orange, sweet, extract (CAS 8028-48-6) Acute Dermal LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available		D /	
Orange, sweet, extract (CAS 8028-48-6) Acute Dermal LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available		Rat	
Acute Dermal LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available			6730 mg/kg, HSDB
DermalLD50Rabbit> 5000 mg/kg, 24 Hours, ECHAInhalationLC50Not available	• • • • • • • • • • • • • • • • • • • •	3028-48-6)	
LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available			
Inhalation LC50 Not available		Rahhit	> 5000 mg/kg, 24 Hours, FCHA
LC50 Not available		Name	· ooo mgrag, 24 Hours, Louis
		Not available	
			
LD50 Rat > 5000 mg/kg, ECHA		Rat	> 5000 mg/kg, ECHA
· ·	Skin corrosion/irritation		

#28481 Page: 4 of 6 Issue date 22-September-2017

Exposure minutesNot available.Erythema valueNot available.Oedema valueNot available.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Corneal opacity valueNot available.Iris lesion valueNot available.Conjunctival reddeningNot available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitisation

Respiratory sensitisation Not available.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity See below.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

Further information Not available.

12. Ecological information

Ecotoxicity See below

Ecotoxicological data

Components Species Test results

Alcohols, C9-11, ethoxylated (CAS 68439-46-3)

Fish Rainbow trout 70.7 mg/L, 96 Hours

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 2.9 - 8.5 mg/L, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) 6 - 12 mg/L, 96 hours

Citric Acid (CAS 77-92-9)

Acute

Crustacea EC50 Daphnia magna 120 mg/L, 72 hr

Aquatic Acute

Fish LC50 Bluegill (Lepomis macrochirus) 1516 mg/L, 96 hr

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

#28481 Page: 5 of 6 Issue date 22-September-2017

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

General

Canada: TDG Proof of Classification: In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue. If applicable, the technical name and the classification of the product will appear below.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS status Controlled


International regulations

Inventory status


Country(s) or region **Inventory Name** On Inventory (Yes/No)* Canada Domestic Substances List (DSL) Yes Non-Domestic Substances List (NDSL) Canada Nο

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information



HEALTH 2 0 **FLAMMABILITY** 0 PHYSICAL HAZARD PERSONAL **PROTECTION**



Issue date 22-September-2017 **Revision date** 22-September-2017

Version No.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Disclaimer Information contained herein was obtained from sources considered technically accurate and

reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Dell Tech Laboratories Ltd. Phone: (519) 858-5021 Prepared by

#28481 Page: 6 of 6 Issue date 22-September-2017