

Revision Date 14-Jan-2016

# SAFETY DATA SHEET

Version 4

	1. IDENTIFICATION
Product identifier Product Name	PC ULTRA BOND GEL SUPER GLUE 2 GR
Other means of identification	
Product Code	30030
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	This product is a cyanoacrylate-based adhesive
Uses advised against	No information available
Details of the supplier of the safety	
Manufacturer Address	<u>Distributor</u>
ITW Permatex	ITW Permatex Canada
6875 Parkland Blvd.	35 Brownridge Road, Unit 1
Solon, OH 44139 USA	Halton Hills, ON Canada L7G 0C6
	Telephone: (800) 924-6994
Company Phone Number	1-87-Permatex
	(877) 376-2839
24 Hour Emergency Phone Number	Chem-Tel: 800-255-3924
	International Emergency:
	00+1+ 813-248-0585
	Contract Number: MIS0003453
E-mail address	mail@permatex.com

## 2. HAZARDS IDENTIFICATION

**1. IDENTIFICATION** 

## Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

NOTE: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.


Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3

## Label elements

Warning

## **Emergency Overview**

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause respiratory irritation



## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

- Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children

Unknown acute toxicity

7.3 % of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
ETHYL-2-CYANOACRYLATE	7085-85-0	60 - 100	*
POLY (METHYL METHACRYLATE)	9011-14-7	5 - 10	*
AMORPHOUS SILICA	7631-86-9	3 - 7	*
1,4-DIHYDROXYBENZENE	123-31-9	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

Description of first aid measures

Get medical advice/attention if you feel unwell. **General advice** 

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eyelids are bonded closed, release eyelashes with warm water by covering with a wet pad. If eye irritation persists: Get medical

SUSU - PC ULIKA BOND GEL	SUPER GLUE Z GR		
	advice/attention.		
Skin contact	IF ON SKIN:. Wash skin with soap and water. Allow warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.		
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.		
Ingestion	Not an expected route of exposure.		
Self-protection of the first aider	Use personal protective equipment as required. Avoid co	ontact with skin, eyes or clothing.	
Most important symptoms and eff	ects, both acute and delayed		
Symptoms	See section 2 for more information.		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media Carbon dioxide (CO2), Dry chemical	, Foam		
Unsuitable extinguishing media None.			
Specific hazards arising from the Polymerizes with evolution of heat.	<u>chemical</u>		
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.		
Protective equipment and precaut As in any fire, wear self-contained br protective gear.	ions for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (appro	oved or equivalent) and full	
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective e	equipment and emergency procedures		
Personal precautions	Ensure adequate ventilation, especially in confined area Use personal protective equipment as required.	s. Avoid contact with eyes and skin	
Environmental precautions			
Environmental precautions	Do not flush into surface water or sanitary sewer system.		
Methods and material for containr	nent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Ensure adequate ventilation. Flood with water to complete polymerization and scrape off floor. Sweep up and shovel into suitable containers for disposal. Soak up with inert absorbent material.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly obser	ving environmental regulations.	

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling	g Handle in accordance with good industrial hygiene and safety practice. Avoid breathi vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after han Wash contaminated clothing before reuse. Use personal protective equipment as rec			
conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.			
Incompatible materials	Alcohols, Amines, Alkalis, Polymerization can occur			

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### **Exposure Guidelines**

**Other Information** 

	•		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ETHYL-2-CYANOACRYLATE 7085-85-0	TWA: 0.2 ppm	-	-
AMORPHOUS SILICA 7631-86-9	-	(vacated) TWA: 6 mg/m <sup>3</sup> <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO2) mg/m <sup>3</sup> TWA	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
1,4-DIHYDROXYBENZENE 123-31-9	TWA: 1 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) TWA: 2 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup> 15 min

NIOSH IDLH Immediately Dangerous to Life or Health

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

## Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

## Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state	Gel
Appearance	Clear
Odor	Irritating
Odor threshold	No information available
Property_	Values
<u>Property</u> pH	Values No information available

Remarks • Method

Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	85 °C / 185 °F < 1 No information available	Tag Closed Cup Butyl acetate = 1
Upper flammability limit: Lower flammability limit:	No information available No information available	
Vapor pressure Vapor density Balativa density	1 mm Hg @ 20°C <1 1.05	Air = 1
Relative density Water solubility Solubility in other solvents	Insoluble No information available	
Partition coefficient Autoignition temperature	No information available No information available	
Decomposition temperature Kinematic viscosity Dynamic viscosity	No information available No information available No information available	
Explosive properties Oxidizing properties	No information available No information available	
Other Information		
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available <20 g/L No information available No information available	

## **10. STABILITY AND REACTIVITY**

## Reactivity

No data available

## Chemical stability

Stable under recommended storage conditions

## Possibility of Hazardous Reactions

Polymerizes with evolution of heat.

## Conditions to avoid

Excessive heat.

## Incompatible materials

Alcohols, Amines, Alkalis, Polymerization can occur

#### Hazardous Decomposition Products

Carbon oxides

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Chemical Name	Oral LD50 Dermal LD50 Inhalation LC50			
Ingestion	Not an expected route of exposure.			
Skin contact		Will bond to skin. May cause burns. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.		
Eye contact	Contact with eyes may ca	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.		
Inhalation	May cause irritation of res	May cause irritation of respiratory tract.		

7085-85-0			
AMORPHOUS SILICA	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h
7631-86-9			
1,4-DIHYDROXYBENZENE	= 298 mg/kg (Rat)	= 74800 mg/kg (Rabbit)	-
123-31-9			

#### Information on toxicological effects

Symptoms

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure\_

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.			
Chemical Name	ACGIH	IARC	NTP	OSHA
POLY (METHYL METHACRYLATE) 9011-14-7	-	Group 3	-	-
AMORPHOUS SILICA 7631-86-9	-	Group 3	-	-
1,4-DIHYDROXYBENZENE 123-31-9	A3	Group 3	-	-
ACGIH (American Confe	erence of Governmental Ir	dustrial Hvaienists)		

CGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

## The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)

5231 mg/kg

## **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

99.8 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
AMORPHOUS SILICA	440: 72 h Pseudokirchneriella	5000: 96 h Brachydanio rerio mg/L	7600: 48 h Ceriodaphnia dubia
7631-86-9	subcapitata mg/L EC50	LC50 static	mg/L EC50
1,4-DIHYDROXYBENZENE	0.335: 72 h Pseudokirchneriella	0.044: 96 h Oncorhynchus mykiss	0.29: 48 h Daphnia magna mg/L
123-31-9	subcapitata mg/L EC50 13.5: 120 h	mg/L LC50 flow-through 0.1 - 0.18:	EC50
	Desmodesmus subspicatus mg/L	96 h Pimephales promelas mg/L	
	EC50	LC50 static 0.17: 96 h Brachydanio	
		rerio mg/L LC50 0.044: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through	

## Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

## Mobility

No information available.

Chemical Name	Partition coefficient
1,4-DIHYDROXYBENZENE	0.5
123-31-9	

## Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

Chemical Name	RCRA	RCRA - Basis for Listing	<b>RCRA - D Series Wastes</b>	<b>RCRA - U Series Wastes</b>
1,4-DIHYDROXYBENZENE	-	Included in waste stream:	-	-
123-31-9		K060		

## **14. TRANSPORT INFORMATION**

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

## **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not Listed.
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

## <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
1,4-DIHYDROXYBENZENE	100 lb	100 lb	RQ 100 lb final RQ
123-31-9			RQ 45.4 kg final RQ
		•	

## US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ETHYL-2-CYANOACRYLATE	Х	-	-
7085-85-0			
AMORPHOUS SILICA	Х	Х	Х
7631-86-9			
1,4-DIHYDROXYBENZENE	Х	Х	Х
123-31-9			

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### WHMIS Hazard Class

D2A - Very toxic materials

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 2
HMIS	Health hazards 2	Flammability 2

Instability 0 Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 14-Jan-2016

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet