

SAFETY DATA SHEET (SDS)

	Skilli	on 1. Identificatio	n				
Product identifier 80W-90-S							
Other means of identification 584							
		BRICANT FOR GE	EARBOXES				
Initial supplier id		4531 RUE INDUS	STRIELLE, THETFORD MINES,	(QUEBEC), G6H 2J1,			
Emergency telep			number 613-996-6666				
	Section 2. Hazard identification						
Classification of	Classification of hazardous product (name of the category or subcategory of the hazard class)						
Skin irritation (Ca		87	/				
Eye irritation (Cat	Eye irritation (Category 2A)						
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)							
Warning H315 Causes skin irritation. H319 Causes serious eye irritation. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P302 + P352 IF ON SKIN: wash with plenty of water. P332 + P313 IF SKIN irritation occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305+P351+P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.							
Other hazards ki			• •				
	Section 3. Composi	ition/information					
Chemical name (common name/synonyms)		CAS number or other	Concentration (%)			
Distillates (petrole	eum), mixture		61788-76-9; 64741-88-4; 64742- 01-4; 64742-65-0; 64741-89-5; 64742-48-9; 64742-52-5; 64742- 54-7; 64742-55-8; 64742-56-9;	30-60			
	Section	4. First-aid meas					
Inhalation	IF INHALED: Remove person to fresh air and	keep comfortable f	or breathing. Call a doctor if you feel	unwell.			
Ingestion	IF SWALLOWED: Immediately call a doctor	. DO NOT INDUC	E VOMITING. NEVER give anythin	ng by mouth if victim is			
	rapidly losing consciousness, or is unconscious	or convulsing. Rins	e mouth thoroughly with water. Have	victim drink two glasses			
	of water. If vomiting occurs naturally, have vid						
Skin contact	IF ON SKIN, Wash with plenty of water for se						
Eye contact	IF IN EYES, Rinse cautiously with water for se	everal minutes (15-2	0). Remove contact lenses, if present	and easy to do. Continue			
	rinsing. If eye irritation persists: Get medical						
	Most important symptoms and effects (acute or delayed) Causes skin irritation. Causes serious eye irritation.						
Indication of imn	A 1	In all cases, call a doctor. Do not forget this document.					
		Fire-fighting me	asures				
	of the hazardous product (hazardous combus	stion products)					
	l other irritant/toxic gases and fumes.						
Suitable and unsuitable extinguishing media							
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.							
Caro at al armada adda.		Special protective equipment and precautions for fire-fighters					
During a fire, irrit	ating/toxic smoke and fumes may be generated.	Do not enter fire an					
During a fire, irrit protective equipme	ating/toxic smoke and fumes may be generated. ent and self-contained breathing apparatus with f	Do not enter fire an ull facepiece. Shield	d personnel to protect from venting, ru	pturing or bursting cans.			
During a fire, irrit protective equipme	ating/toxic smoke and fumes may be generated. ent and self-contained breathing apparatus with f rom fire area if it can be done without risk. Wate	Do not enter fire ar full facepiece. Shield for spray may be usefu	d personnel to protect from venting, rull in cooling equipment and cans expo	pturing or bursting cans.			
During a fire, irrit protective equipme Move containers fr	ating/toxic smoke and fumes may be generated. ent and self-contained breathing apparatus with f rom fire area if it can be done without risk. Wate Section 6. Ac	Do not enter fire an full facepiece. Shield for spray may be usefu ccidental release	d personnel to protect from venting, rull in cooling equipment and cans expo	pturing or bursting cans.			
During a fire, irrit protective equipme Move containers fi Personal precaut	ating/toxic smoke and fumes may be generated. ent and self-contained breathing apparatus with f rom fire area if it can be done without risk. Wate Section 6. Act ions, protective equipment and emergency pr	Do not enter fire ar full facepiece. Shield r spray may be usefu ccidental release r rocedures	d personnel to protect from venting, ru il in cooling equipment and cans expo measures	pturing or bursting cans. sed to heat and flame.			
During a fire, irrit protective equipme Move containers fr Personal precaut Restrict access to a	ating/toxic smoke and fumes may be generated. ent and self-contained breathing apparatus with f rom fire area if it can be done without risk. Wate Section 6. Ac ions, protective equipment and emergency pr area until completion of clean-up. Ensure clean-u	Do not enter fire ar full facepiece. Shield r spray may be usefu ccidental release r rocedures	d personnel to protect from venting, ru il in cooling equipment and cans expo measures	pturing or bursting cans. sed to heat and flame.			
During a fire, irrit protective equipme Move containers fi Personal precaut Restrict access to a wear the appropria	ating/toxic smoke and fumes may be generated. ent and self-contained breathing apparatus with f rom fire area if it can be done without risk. Wate Section 6. Ac ions, protective equipment and emergency pr area until completion of clean-up. Ensure clean-u te protective equipment (See Section 8).	Do not enter fire ar full facepiece. Shield r spray may be usefu ccidental release r rocedures	d personnel to protect from venting, ru il in cooling equipment and cans expo measures	pturing or bursting cans. sed to heat and flame.			
During a fire, irrit protective equipme Move containers fi Personal precaut Restrict access to a wear the appropria Methods and ma	ating/toxic smoke and fumes may be generated. ent and self-contained breathing apparatus with f rom fire area if it can be done without risk. Wate Section 6. Ac ions, protective equipment and emergency p area until completion of clean-up. Ensure clean-u te protective equipment (See Section 8). terials for containment and cleaning up	Do not enter fire ar full facepiece. Shiek r spray may be usefu ccidental release r rocedures up is conducted by tr	d personnel to protect from venting, ru il in cooling equipment and cans expo measures rained personnel only. All persons dea	pturing or bursting cans. sed to heat and flame.			
During a fire, irrit protective equipme Move containers fi Personal precaut Restrict access to a wear the appropria Methods and ma Avoid release to th	ating/toxic smoke and fumes may be generated. ent and self-contained breathing apparatus with f rom fire area if it can be done without risk. Wate Section 6. Ac ions, protective equipment and emergency p area until completion of clean-up. Ensure clean-u te protective equipment (See Section 8). terials for containment and cleaning up he environment. Collect spillage. Ventilate area	Do not enter fire ar full facepiece. Shield r spray may be usefu ccidental release r rocedures up is conducted by tr of release. Stop th	d personnel to protect from venting, ru il in cooling equipment and cans expo measures rained personnel only. All persons dea e leak if it can be done safely. Conta	pturing or bursting cans. sed to heat and flame. ling with clean-up should in and absorb any spilled			
During a fire, irrit protective equipme Move containers fi Personal precaut Restrict access to a wear the appropria Methods and ma Avoid release to the liquid concentrate	ating/toxic smoke and fumes may be generated. ent and self-contained breathing apparatus with f rom fire area if it can be done without risk. Wate Section 6. Ac ions, protective equipment and emergency p area until completion of clean-up. Ensure clean-u te protective equipment (See Section 8). terials for containment and cleaning up	Do not enter fire ar full facepiece. Shield r spray may be usefu ccidental release r rocedures up is conducted by tr of release. Stop th into a container for l	d personnel to protect from venting, ru il in cooling equipment and cans expo measures rained personnel only. All persons dea e leak if it can be done safely. Conta ater disposal (see Section 13). Contam	pturing or bursting cans. sed to heat and flame. ling with clean-up should in and absorb any spilled			



Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: None

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties				
Appearance, physical state/colour Brown liquid	Vapour pressure Not available			
Odour Characteristic	Vapour density Heavier than air			
Odour threshold Not available	Relative density 0.8576			
pH Not available	Solubility Not available			
Melting/freezing point <-43°C	Partition coefficient - n-octanol/water Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available			
Flash point 214°C Open cup	Decomposition temperature Not available			
Evaporation rate Not available	Viscosity 104 cSt @ 40°C			
Flammability (solids and gases) Not available	VOC Not available			
Upper and lower flammability/explosive limits Not available	Other None known			
Section 10. Stability and reactivity				
Reactivity				
Does not react under the recommended storage and handling conditions prescribed.				
Chemical stability				
Stable under the recommended storage and handling conditions prescribed.				
Possibility of hazardous reactions				
None				
Conditions to avoid (static discharge, shock or vibration)				
None				
Incompatible materials				
Oxidizing materials; etc.				
Hazardous decomposition products				
None known				



Section 11. Toxicological information					
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)					
Causes skin irritation. Causes serious eye irritation.					
Symptoms related to the physical, chemical and toxicological characteristics					
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing;					
Delayed and immediate effects (chronic effects from short-term and long-term exposure)					
Skin Sensitization – No data available;					
Respiratory Sensitization – No data available;					
Germ Cell Mutagenicity – No data available;					
Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA;					
Reproductive Toxicity – No data available;					
Specific Target Organ Toxicity — Single Exposure – No data available;					
Specific Target Organ Toxicity — Repeated Exposure – No data available;					
Aspiration Hazard – No data available;					
Health Hazards Not Otherwise Classified – No data available.					
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)					
None					
ATE not available in this document.					
Section 12. Ecological information					
Ecotoxicity (aquatic and terrestrial information) No data available for this product.					
Persistence and degradability No data available for this product.					
Bioaccumulative potential No data available for this product.					
Mobility in soil No data available for this product.					
Other adverse effects No data available					
Section 13. Disposal considerations					
Information on safe handling for disposal/methods of disposal/contaminated packaging					
Dispose of contents/container into safe container in accordance with local, regional or national regulations.					
Section 14. Transport information					
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations					
NOT REGULATED					
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)					
NOT REGULATED					
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)					
NOT REGULATED					
Special precautions (transport/conveyance) None					
Environmental hazards (IMDG or other) None					
Bulk transport (usually more than 450 L in capacity) Possible					
Section 15. Regulatory information					
Safety/health Canadian regulations specificsRefer to Section 2 for the appropriate classification. This product has been classified in accordance					
with the hazard criteria of the Hazardous Products Regulations (HPR).					
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL					
Safety/health/environmental outside regulations specifics					
United States OSHA information: This product is regulated according to OSHA (29 CFR).					
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.					
United States TCSA information: Refer to the ingredients listed in Section 3.					
National Fire Protection Association (NFPA):					
HEALTH: 1 FLAMMABILITY: 1 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3.					
HAZARD SCALE: $0 = $ Minimal $1 = $ Slight $2 = $ Moderate $3 = $ Serious $4 = $ Severe					
California Proposition 65: This product contains traces of a material known to the State of California to cause cancer or other reproductive harm.					



Date of the latest revision of the safety data sheet January 07, 2021. References Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS. Abbreviations American Conference of Governmental Industrial Hygienists XTE Acute toxicity estimate CAS Chemical Abstract Service DSL Domestic Substance List ARCC International Agency for Research on Cancer ATA International Maritime Dangerous Goods Code CC Lethal concentration DD Lethal Dosage IOSH National Institute for Occupational Safety and Health VTP National Institute for Occupational Safety and Health StRA Occupational Safety and Health Administration (U.S.A.) SEL Permissible Exposure Limit TEL Short-term Exposure Limit TEL Short-term Exposure Limit TGE Cauge Sodos Sodes UV Threshold Limit Value SCA Toxic Substances Control Act WA Time Weighted Average	Energy efficience			
ReferencesSafety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.AbbreviationsACGIHAmerican Conference of Governmental Industrial HygienistsATEAcute toxicity estimateCASChemical Abstract ServiceSSLDomestic Substance ListARCInternational Agency for Research on CancerATAInternational Agency for Research on CancerATAInternational Maritime Dangerous Goods Code.CLethal concentrationDDLethal DosageIIOSHNational Institute for Occupational Safety and HealthXTPNational Toxicology Program (U.S.A.)DSHAOccupational Safety and Health Administration (U.S.A.)ELPermissible Exposure LimitTELShort-term Exposure LimitTGGTransport of dangerous goods in CanadaLVThreshold Limit ValueSCAToxic Substances Control ActWATime Weighted Average	Section 16. Other information			
Abbreviations Image: Constraint of the second	Date of the latest revision of the safety data sheet January 07, 2021.			
ACGIHAmerican Conference of Governmental Industrial HygienistsATEAcute toxicity estimateCASChemical Abstract ServiceDSLDomestic Substance ListARCInternational Agency for Research on CancerATAInternational Air Transport AssociationMDGInternational Maritime Dangerous Goods Code.CLethal concentration.DLethal concentration.DLethal DosageVIOSHNational Institute for Occupational Safety and HealthXTPNational Toxicology Program (U.S.A.)SELPermissible Exposure LimitTELShort-term Exposure LimitTELShort-term Exposure LimitTGTransport of dangerous goods in CanadaLVThreshold Limit ValueSCAToxic Substances Control ActWATime Weighted Average	References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.		
ATEAcute toxicity estimateCASChemical Abstract ServiceDSLDomestic Substance ListARCInternational Agency for Research on CancerATAInternational Air Transport AssociationMDGInternational Maritime Dangerous Goods Code.CLethal concentration.DLethal DosageVIOSHNational Institute for Occupational Safety and HealthXTPNational Toxicology Program (U.S.A.)DSHAOccupational Safety and Health Administration (U.S.A.)ELPermissible Exposure LimitTELShort-term Exposure LimitTGTransport of dangerous goods in CanadaLVThreshold Limit ValueSCAToxic Substances Control ActWATime Weighted Average	Abbreviations			
CASChemical Abstract ServiceOSLDomestic Substance ListARCInternational Agency for Research on CancerATAInternational Air Transport AssociationMDGInternational Maritime Dangerous Goods Code.CLethal concentration.DLethal DosageVIOSHNational Institute for Occupational Safety and HealthXTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)ELPermissible Exposure LimitTELShort-term Exposure LimitTGGTransport of dangerous goods in CanadaLVThreshold Limit ValueSCAAToxic Substances Control ActWATime Weighted Average	ACGIH	American Conference of Governmental Industrial Hygienists		
Demestic Substance ListARCInternational Agency for Research on CancerATAInternational Air Transport AssociationMDGInternational Maritime Dangerous Goods Code.CLethal concentration.DLethal DosageVIOSHNational Institute for Occupational Safety and HealthXTPNational Toxicology Program (U.S.A.)DSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitTELShort-term Exposure LimitTDGTransport of dangerous goods in Canada'LVThreshold Limit Value'SCAToxic Substances Control Act'WATime Weighted Average	ATE	Acute toxicity estimate		
ARCInternational Agency for Research on CancerATAInternational Air Transport AssociationMDGInternational Maritime Dangerous Goods Code.CLethal concentration.DLethal DosageVIOSHNational Institute for Occupational Safety and HealthXTPNational Toxicology Program (U.S.A.)DSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitTELShort-term Exposure LimitTDGTransport of dangerous goods in Canada'LVThreshold Limit Value'SCAToxic Substances Control Act'WATime Weighted Average	CAS	Chemical Abstract Service		
ATAInternational Air Transport AssociationMDGInternational Maritime Dangerous Goods CodeCLethal concentrationDLethal DosageMOSHNational Institute for Occupational Safety and HealthTPNational Toxicology Program (U.S.A.)DSHAOccupational Safety and Health Administration (U.S.A.)ELPermissible Exposure LimitTELShort-term Exposure LimitTGGTransport of dangerous goods in CanadaLVThreshold Limit Value'SCAToxic Substances Control Act'WATime Weighted Average	DSL			
MDGInternational Maritime Dangerous Goods Code.CLethal concentration.DLethal DosageMOSHNational Institute for Occupational Safety and Health.TPNational Toxicology Program (U.S.A.).DSHAOccupational Safety and Health Administration (U.S.A.).ELPermissible Exposure Limit.TELShort-term Exposure Limit.TGGTransport of dangerous goods in Canada.LVThreshold Limit Value.SCAToxic Substances Control Act.WATime Weighted Average	IARC			
CLethal concentration.DLethal DosageMOSHNational Institute for Occupational Safety and HealthMTPNational Toxicology Program (U.S.A.)DSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitTTELShort-term Exposure LimitTGGTransport of dangerous goods in Canada'LVThreshold Limit Value'SCAToxic Substances Control Act'WATime Weighted Average	IATA	International Air Transport Association		
DLethal DosageNOSHNational Institute for Occupational Safety and HealthNTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitTELShort-term Exposure LimitTGGTransport of dangerous goods in CanadaLVThreshold Limit ValueSCAToxic Substances Control Act"WATime Weighted Average	IMDG			
NIOSHNational Institute for Occupational Safety and HealthNTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitTTELShort-term Exposure LimitTOGTransport of dangerous goods in Canada'LVThreshold Limit Value'SCAToxic Substances Control Act'WATime Weighted Average	LC	Lethal concentration		
VTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)DELPermissible Exposure LimitTELShort-term Exposure LimitTDGTransport of dangerous goods in Canada'LVThreshold Limit Value'SCAToxic Substances Control Act'WATime Weighted Average	LD			
DSHAOccupational Safety and Health Administration (U.S.A.)DELPermissible Exposure LimitTELShort-term Exposure LimitTDGTransport of dangerous goods in Canada'LVThreshold Limit Value'SCAToxic Substances Control Act'WATime Weighted Average	NIOSH			
PELPermissible Exposure LimitTELShort-term Exposure LimitTDGTransport of dangerous goods in Canada'LVThreshold Limit Value'SCAToxic Substances Control Act'WATime Weighted Average	NTP			
TELShort-term Exposure Limit'DGTransport of dangerous goods in Canada'LVThreshold Limit Value'SCAToxic Substances Control Act'WATime Weighted Average	OSHA			
'DGTransport of dangerous goods in Canada'LVThreshold Limit Value'SCAToxic Substances Control Act'WATime Weighted Average	PEL	1		
LV Threshold Limit Value 'SCA Toxic Substances Control Act 'WA Time Weighted Average	STEL	•		
'SCAToxic Substances Control Act'WATime Weighted Average	TDG			
WA Time Weighted Average	TLV			
	TSCA			
VHMIS Workplace Hazardous Materials Information System	TWA			
	WHMIS	Workplace Hazardous Materials Information System		
The information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s				
nowledge. PROLAB TECHNOLUB INC. Makes no warranty whatever expresses or implied of merchantability or fitness for the particular purpose.				
The information relates only to the specific material designated herein and does not relate to use in combination with any other material or in any				
rocess. Customers are encouraged to conduct their own tests. Before using the product, read its label. PROLAB TECHNOLUB INC. Assumes no				
esponsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.				