SAFETY DATA SHEET

Deepfreeze Refrigerants Inc. 2695 Slough Street Mississauga Ontario Canada

Duracool SealQuick 114 gm. 4 ounce

SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identity.....

Mississauga

L4T 1G2 905 671 4222

In Canada & The United States: Call CHEMTREC (800) 424-9300. 24 hour emergency telephone number.....

Recommended Use..... Air Conditioning leak sealer

Consumer Commodity..... Yes.

Hazard Ratings:

Health: 1 Fire: 4 Reactivity: 0.

HMIS..... NFPA Rating..... Health: 1 Fire: 4 Reactivity: 0.

SECTION 02: HAZARDS IDENTIFICATION

Emergency Overview..... Danger. Extremely flammable aerosol. Container is under pressure. Container may

explode if heated. Do not puncture. Do not burn. May cause skin and eye irritation. Contact with liquid may cause frostbite . KEEP OUT OF REACH OF CHILDREN .

Potential Health Effects:

Skin Contact May cause skin irritation.

Eye Contact...... May cause irritation, redness and pain.

Ingestion...... May be harmful if swallowed.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS					
HAZARDOUS INGREDIENTS CAS # WT. %					
Propane	74-98-6	30-60			
Isobutane	75-28-5	15-40			
Methylene Chloride	75-09-2	10-30			
UV Dye	Not indicated	5-10			

SECTION 04: FIRST AID MEASURES

Eye Contact	. Check for and remove contact lenses. Immediately flush eyes with water for a minimum of
	15 minutes keeping eyelids open. Consult a doctor if any irritation occurs.
Skin Contact	Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. If irritation or redness develops consult a poison control centre or physician
	immediately. If frostbite has occurred, seek medical attention immediately; do NOT rub the
	affected areas or flush them with water. In order to prevent further tissue damage, do NOT
Ingestion	attempt to remove frozen clothing from frostbitten areas. If swallowed, call a Poison Control Center or doctor immediately. Do not induce vomiting.
Inhalation	. Move victim to fresh air. If breathing has stopped, give artificial respiration. If heartbeat
	absent, give external cardiac compression. Monitor breathing and pulse. If symptoms
	persist, call a physician.
Additional Information	. Note to the doctor; treat symptomatically

SECTION 05: FIRE FIGHTING MEASURES

Flammability Class..... Extremely Flammable.

Use extinguishing media appropriate for the surrounding fire. Small Fire: Use Dry Chemical. Large Fire: Use water spray or fog. Extinguishing Media.....

Sensitivity to Mechanical Impact...... Not expected to be sensitive. Sensitivity to Static Discharge...... Not expected to be sensitive.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Spills and Leaks...... Evacuate and Ventilate the area. Remove all sources of ignition. Wash area with significant quantity of water.

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling....... Use with adequate ventilation. Contents under pressure. Do not store in temperatures above 120°F (50°C). Keep away from heat, sparks, and open flames.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

	ACGI	H TLV	OSHA	\ PEL	NIOSH	
INGREDIENTS	TWA	STEL	PEL	STEL	REL	
Propane	2,500 ppm	Not available	1,000 ppm	Not available	1,000 ppm	
Isobutane	800 ppm	1000 ppm	800 ppm	Not available	800 ppm (TWA)	
Methylene Chloride	50 ppm	Not established	25 ppm	Not established	Not established	
UV Dye	Not available	Not available	Not available	Not available	Not available	
Eye/Face Protection						
Respiratory Protection Not required on a short-term basis or if exhaust ventilation is provided. Use NIOSH approved respirator suitable for organic vapours.						
Appropriate Engineering Controls						
Exposure Limits						

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical State

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability...... Stable at normal temperatures and pressures.

Incompatible Materials...... Strong oxidizing agents.

Possibility of Hazardous Reactions...... Has not been reported.

SECTION 11: TOXICOLOGICAL INFORMATION					
INGREDIENTS	LC50	LD50			
Propane	658 mg/L (Rat - 4hrs)	Not available			
Isobutane	658 mg/L (Rat - 4hrs)	Not available			
Methylene Chloride	79,000 mg/m (Rat - 3/2hr)	1,600 mg/kg (Oral - Rat)			
UV Dye	Not available	Not available			
Effects of Acute Exposure Chronic Effects	 Skin contact, Eye contact, Inhalation and Ingestion. Harmful if swallowed or inhaled. Repeated or prolonged to the skin. May cause irritation to the eyes. May cause skin defatting and dermatitis. Methylene Chloride- ACGIH: A3-Animal Carcinogen, IA carcinogenic to humans, OSHA: Possible select carcinogenera. 	RC: Group 2B: Possibly			
Teratogenicity	carcinogen. No information is available, and no adverse effects are No information is available, and no adverse effects are No information is available, and no adverse effects are No information is available, and no adverse effects are	e expected.			
SEC	TION 12: ECOLOGICAL INFORMATION				
	Complete information is not yet available. Avoid release Chloride: Toxicity to fish: LC50 193 mg/L, 96 hrs; Toxicity to algae: EC50 >66	icity to other aquatic invertebrates:			
Ecotoxicity	TION 40 DISPOSAL CONSIDERATIONS				
SEC	TION 13: DISPOSAL CONSIDERATIONS				
Appropriate Disposal Methods	Dispose in accordance with local, provincial and federal	I regulations.			
SEC	TION 14: TRANSPORT INFORMATION				
DOT (US-Road)IMDG (International- Marine)		er commodity ORM-D.			
SEC	TION 15: REGULATORY INFORMATION				
S	ECTION 16: OTHER INFORMATION				
Disclaimer					
Prepared by	Regulatory Affairs	organ Toxioity.			
Latest Revision	APŘ 28/2020				