

SECTION 1 - IDENTIFICATION				
Product identifier: S	UMMUM			
Product code:				
Recommended use: A	Alkaline cleaner.			
Chemical name : N	lixture.			
Supplier identifier: S	AVONS EVY			
	3460 39e Avenue,			
Ν	lontréal, QC H1A 3V1			
5	4-642-9920			
<b>Emergency phone:</b> C	anutec (613) 996-6666	5 24 hrs		
SECTION 2 - HAZARD IDENTIF				
Classification	Corrosive to metals			
	Skin corrosion 1			
	Severe eye damage			
		n exposure, single exposure; Respiratory		
	tract irritation 3			
Signal word	DANGER			
Hazard statement	H290	May be corrosive to metals.		
	H314	Causes severe skin burns and eye damage.		
	H319	Causes serious eye damage.		
	H335	May cause respiratory irritation.		
Precautionary statement -	P234	Keep only in original packaging.		
Prevention	P260	Do not breathe dust/fume/gas/mist/vapours/spray.		
	P264	Wash hands thoroughly after handling.		
	P280	Wear protective gloves/protective clothing/eye protection/face		
		protection.		
	P271	Use only outdoors or in a well-ventilated area.		
<b>Precautionary statement - Response</b>	P390	Absorb spillage to prevent material damage.		
	P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
	P303+P361+P353	IF ON SKIN: Take off immediately all contaminated clothing.		
		Rinse skin with water (or shower).		
	P363	Wash contaminated clothing before reuse.		
	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
	P310	Immediately call a POISON CENTER/doctor.		
	P321	Specific treatment: Treat as chemical burns.		
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes.		
		Remove contact lenses, if present and easy to do. Continue rinsing.		
	P304+P340	IF INHALED: remove person to fresh air and keep comfortable for		
		breathing.		
	P312	Call a POISON CENTER/doctor if you feel unwell.		
Precautionary statement - Storage	P406	Store in a corrosion resistant container or with a resistant inner		
		liner.		
	P403+P233	Store in a well ventilated place. Keep container tightly closed.		
	P405	Store locked up.		
Precautionary statement -	P501	Dispose contents/containers according to municipal, provincial and		
Elimination		federal regulations.		
		C		

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS			
Ingredient	CAS	% (weight)	
2-Butoxyethanol	111-76-2	10 - 30 *	
Sodium metasilicate	6834-92-0	5 - 10 *	
Potassium hydroxyde	1310-58-3	1-5*	
Alcohols, C12-14, ethoxylated	68439-50-9	1-5*	

\*TRADE SECRET STATEMENT: The exact concentration of composition has been withheld as a trade secret.



# **SECTION 4 - FIRST AID MEASURES**

#### Inhalation:

IF INHALED: remover person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CONTROL CENTER or physician.

### Skin contact:

IF ON SKIN: Take off all contaminated clothing. Rinse skin with water for 20 minutes. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing/ jewellery and wash it before reuse.

#### Eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Ingestion:

NEVER give anything orally if victim is losing consciousness, is unconscious or having convulsions. Rinse mouth with water thoroughly. DO NOT INDUCE VOMITING. Ask victim to drink two glasses of water. If vomiting occurs naturally, lean victim forward to reduce risks of aspiration. Continue to drink water. Obtain medical care.

#### Note to physician:

Treat as chemical burns.

## SECTION 5 - FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Water spray, depending on conditions of fire.
Unsuitable extinguishing media:	Direct water jet may disperse product.
Hazardous combustion products :	Carbon oxides, nitrogen oxides, potassium oxides, hydrogen, acrid smoke.
Protective equipment :	Fire-fighters must wear protective equipment and NIOSH approved self-contained
	breathing apparatus.
Precautions:	Retain water run-off. Prevent infiltration in sewers or waterways.

# SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### **Protective equipment:**

Wear appropriate respiratory equipment (See Section 8). Avoid direct contact with product. Remove non-essential personnel. **Containment and clean up:** 

Ventilate spill area. Stop spill if safe to do so. Contain and absorb with an inert absorbing material for future disposal (See Section 13). Prevent spill from entering sewers or waterways. Retain water run-off if applicable. Inform proper authorities if necessary.

#### **Environmental precautions:**

Avoid entering sewers, waterways or restricted areas. Eliminate according to municipal, provincial and federal regulations.

# **SECTION 7 - HANDLING AND STORAGE**

### **Precautions for safe handling:**

Containers must be identified correctly. Handle in a well ventilated area. Avoid breathing dust, vapours or mists. Avoid contact with eyes, skin and clothes. Keep containers closed when not in use. Protect from day light. Empty containers may contain residues and must be handled as hazardous waste. Maintain good personal hygiene before eating, drinking or smoking. Do not eat, drink or smoke while using the product or in proximity. Wash contaminated clothing before reuse.

# Conditions for safe storage:

Store in a well-ventilated place. Keep cool. Store away from incompatible materials. Keep containers closed.

#### **Incompatible materials :**

Strong acids, aqueous solutions can attack certain metals (such as aluminum, tin, lead or zinc) to form hydrogen, a flammable and / or explosive gas.

# SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:				
Ingredients	CAS	SOURCE	Values	
2-Butoxyethanol	111-76-2	ACGIH	STEL 0.2 mg/m3	
		OSHA	TWA 1 mg/m3	
		NIOSH	TWA 1 mg/m3	
		NIOSH	IDLH 15 mg/m3	
		CSST	TWA 1 mg/m3	
		CSST	STEL 3 mg/m3	



Sodium metasilicate	6834-92-0		No established limits.
Potassium hydroxyde	1310-58-3	CSST	IDLH 14 mg/m3
5 5		NIOSH	C 2 mg/m3
Alcohols, C12-14, ethoxylated	68439-50-9		No established limits.
Engineering controls:			
Local ventilation system is recomme	nded to maintain concentrat	ions of contaminants belo	w exposure limits.
Protection of airways:			
Respiratory protection is required	if concentration are above	e exposure limits. Use	a NIOSH approved autonomous
respiratory apparatus if exposure lim		r r	II
Protective equipment and clothing:			
Wear chemical / impermeable glove	es or other protective clothi	ing to prevent repeated of	or continuous contact with the skin
during handling and usage. Wear g			
showers and cleaning stations are ne			
General hygiene recommendations :			
Avoid production of high concentrat	ions of dust, vapours or mis	ts. Avoid contact with sl	kin and eyes. Avoid breathing dust,
vapours or mists. Never eat, drink			
Clean clothing before reuse.		20	0 1
¥			
SECTION 9 - PHYSICAL AND CH			
Appearance:	Colourless, transparent l	iquid.	
Odour :	Acrid.		
Odour threshold:	Not available.		
pH:	>13.0		
Melting point:	Not available.		
Initial boiling point:	Not available.		
Flash point:	Not applicable.		
Evaporation rate (butyl acetate = 1):	Not available.		
Flammability:	Not flammable.		
LIL:	Not applicable.		
UIL:	Not applicable.		
Vapour pressure:	Not available.		
Vapour density (air=1):	Not available.		
Relative density:	1.0 (estimated).		
Solubility:	Soluble.		
Partition coefficient (n-octanol/water):	Not available.		
<b>AAP -P P -P -P-P-P-P-P-P-P</b>	Not available.		
Auto-ignition temperature:			
Decomposition temperature:	Not available.		

# SECTION 10 - STABILITY AND REACTIVITY

Stability and reactivity :	Stable under recommended conditions and expected usage.
Polymerisation:	No.
Conditions to avoid :	Contact with incompatible materials.
Incompatible materials :	Strong acids, aqueous solutions can attack certain metals (such as aluminum, tin, lead or zinc)
	to form hydrogen, a flammable and / or explosive gas.
Hazardous decomposition	Carbon oxides, nitrogen oxides, potassium oxides, hydrogen.
products :	

SECTION 11 - TOXICOLOGICAL INFORMATION				
Toxicological data:				
Hazardous ingredient	CAS	% (weight)	DL <sub>50</sub> (route, species)	CL <sub>50</sub> (species)
2-Butoxyethanol	111-76-2	10 - 30	560 mg/kg, oral, rat	450 ppm, 4 h, rat
			400 mg/kg, dermal, rabbit	
Sodium metasilicate	6834-92-0	5 - 10	1152 – 1349, oral, rat	>2060 mg/m3, rat
			>5000, dermal, rat	



Potassium hydroxyde	1310-58-3	1 – 5	273 mg/kg, oral,	rat	No data.
Alcohols, C12-14, ethoxylated	68439-50-9	1 – 5	>2000 mg, oral, 1	rat	>20 mg/L, vapour
			>2000 mg, derma	al, rat	>5 mg/L, mist
Short term exposure (acute) :					
Inhalation:			. Cough, sneezing.		
Skin:			lness, pain, burns,		
Eyes:	Causes seve	er eye damage. R	edness, pain, tearin	ig, lesions to	o cornea.
Ingestion:	Burns to m	outh and digestive	e systems.		
Long term exposure (chronic) :					
Inhalation:	No data.				
Skin:	No data.				
Eyes:	No data.				
Ingestion:	No data.				
Carcinogenicity :	2-Butoxyet	hanol	111-76-2	-	ot classifiable as to its icity to humans.
Teratogenicity:	No data.		1	0	, ,
Mutagenicity:	No data.				
Target organ:	No data.				
Conditions aggravated by exposure :	No data.				

SECTION 12 - ECOLOGICAL INFORMATION					
Hazardous ingredient	CAS	% (weight)	Value	Species	
2-Butoxyethanol	111-76-2	10 - 30	LC50 1490 mg/L, 96h, statique	Lepomis macrochirus	
			LC50 2950 mg/L, 96h	Lepomis macrochirus	
			LC50 1474 mg/L, 96 h, statique	Oncorhynchus mykiss	
			EC50 1800 mg/L, 48 h, statique	Daphnia magna	
			EC50 977 mg/L, 72 h, statique	Pseudokirchniella subcapitata	
Sodium metasilicate	6834-92-0	5 - 10	LC50 210 mg/L, 96h	Danio rerio	
			EC501 1700 mg/L, 48h	Daphnia magna	
Potassium hydroxyde	1310-58-3	1 – 5	LC50 80 mg/L, 96h	Gambusia affinis	
Alcohols, C12-14,	68439-50-9	1 – 5	LC50 1 – 10 mg/L	Brachydanio rerio	
ethoxylated			EC50 0.1 – 1 mg/L	Daphnia magna	
			EC50 0.1 – 1 mg/L	Scenedesmus subspicatus	
			EC0 >100 mg/L	Bactéries	
Persistence and degradability : Not determined.					
<b>Bioaccumulation potent</b>	ial:	Not determined.			
Mobility in soil:		Not determined.			
Other adverse effects :		Not determined.			

# SECTION 13 - DISPOSAL CONSIDERATIONS Safe handling for disposal: Store materials for elimination and contaminated packaging as indicated in Section 7 Handling and Storage. Methods of disposal : Dispose contents/containers according to all municipal, provincial and federal regulations.

#### **SECTION 14 - TRANSPORT INFORMATION** Packing group **UN Number** Proper shipping name Class Placard UN1760 CORROSIVE LIQUID N.O.S. 8 III (Sodium metasilicate, potassium hydroxide) 5 L Limited quantity: Special No. precautions:



No.

Environmental

SUMMUM

dangers:	
SECTION 15 - REG	ULATORY INFORMATION
Canadian Environment (CEPA): Others :	
SECTION 16 - OTH	ER INFORMATION
Prepared by:	Laboratoire Campeau Inc. 61 rue Des Menuisiers, Local 106 Sainte-Anne-Des-Plaines, Qc, J0N1H0
Telephone : Date :	(514) 642-6669 25 May 2018
Version:	1.0
Abbreviations:	
ACGIH	American Conference of Governmental Industrial Hygienists
AIHA	American Industrial Hygiene Association
CAS	Chemical Abstract Service
CL / LC	Concentration létale /Lethal concentration
DL / LD	Dose létale / Lethal dose
IARC	International Agency for Research on Cancer
LES	Liste extérieure des substances (NDSL)
LIS	Liste intérieure des substances (DSL)
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
SIMDUT	Système d'information sur les matières dangereuses utilisées au travail
STEL	Short-term Exposure Limit
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
USEPA	United States Environmental Protection Agency
WHMIS	Workplace Hazardous Materials Information System

All information indicated in the present document are based on data supplied by recognized technical sources. While the information is believed to be accurate, the manufacturer makes no representations as to its accuracy or sufficiency. Users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.