

SAFETY DATA SHEET (SDS)

			Section 1. Identi	fication			
Product identifi	-	MOLY-32-2					
Other means of							
Recommended use and restrictions on use LUBRICATING GREASE							
Initial supplier identifier PROLAB TECHNOLUB INC. 4531 RUE INDUSTRIELLE, THETFORD MINES, (QUEBEC), G6H 2J1,							
		CANADA TEL. (418) 423-2					
Emergency tele	phone numb	er/restriction on use Cana	ada – CANUTEC 2	4 hour number 613-996-6666			
Section 2. Hazard identification							
Classification of hazardous product (name of the category or subcategory of the hazard class)							
Skin irritation (Category 3)							
Eye irritation (Category 2A)							
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)							
irritation occurs: lenses, if present (following sente	ious eye irrita ls/nails/face t Get medica and easy to o nces not ma ents/container	ation. horoughly after handling. P28 l attention. P305 + P351 + P do. Continue rinsing. P337 + F ndatory) P403 + P203 + P23 into safe container in accorda one	2338 IF IN EYES, 2313 If eye irritatio 35 Store in a well ance with local, regi	~	veral minutes. Remove contact		
		Section 3. Con	mposition/inforn	nation on ingredients			
Chemical name	(common na	ame/synonyms)		CAS number or other	Concentration (%)		
Calcium dodecy	lbenzenesulpl	honate		26264-06-2	< 5		
Calcium carbona	ite			471-34-1	< 8		
Poly(1-decene)				68037-01-4	< 50		
Polysulfides, di-	tert-dodecyl			68425-15-0	< 5		
			ction 4. First-aid				
Inhalation				table for breathing. Call a doctor if			
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.						
Skin contact		If skin irritation occurs: Get medical attention. Rinse skin with water (5-10 minutes).					
Eye contact	IF IN EY	ES, Rinse cautiously with wa	ater for several mi	inutes (15-20). Remove contact ler	ses, if present and easy to do.		
·		insing. If eye irritation persist					
Most important		and effects (acute or delayed)					
				call a doctor. Do not forget this doc	ument.		
		Secti					
Specific hazard	s of the haza	rdous product (hazardous co					
		int/toxic gases and fumes.	ustion produc				
		0					
Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.							
		it and precautions for fire-fig		produce			
				fire area without proper protection.	Firefighters should wear proper		
				Shield personnel to protect from ven			
				be useful in cooling equipment and ca			



Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 471-34-1 PEL-TWA – 15 mg/m³ (total) & 5 mg/m³ (respirable);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Appearance, physical state/colour Blue grease Vapour pressure Not available Odour Oil Vapour density Heavier than air Odour threshold Not available Relative density 0.98 pH Not available Solubility Negligible Melting/freezing point Not available Partition cerfficient - n-octanol/water Not available Initial boiling point/range Not available Auto-ignition temperature Not available Flash point > 220 °C Decomposition temperature Not available Evaporation rate Not available Viscosity 46 cSt @ 40°C (Base oil) Imital bole Flammability (solids and gases) Not available VOC Not available Vone known Section 10. Stability and reactivity Section 10. Stability and reactivity Section 20 (Stability and reactivity) Section 20 (Stability and reactivity)	Section 9. Physical and chemical properties					
Odour threshold Not available Relative density 0.98 pH Not available Solubility Negligible Melting/freezing point Not available Partition coefficient - n-octanol/water Not available Initial boiling point/range Not available Partition temperature Not available Flash point > 220 °C Decomposition temperature Not available Evaporation rate Not available Viscosity 46 cSt @ 40°C (Base oil) Flammability (solids and gases) Not available VOC Not available Upper and lower flammability/explosive limits Not available Ot her None known	Appearance, physical state/colour Blue grease	Vapour pressure Not available				
pH Not available Solubility Negligible Melting/freezing point Not available Partition coefficient - n-octanol/water Not available Initial boiling point/range Not available Partition temperature Not available Flash point > 220 °C Decomposition temperature Not available Evaporation rate Not available Viscosity 46 cSt @ 40°C (Base oil) Flammability (solids and gases) Not available VOC Not available Upper and lower flammability/explosive limits Not available Other None known	Odour Oil	Vapour densityHeavier than air				
Melting/freezing point Not available Partition coefficient - n-octanol/water Not available Initial boiling point/range Not available Auto-ignition temperature Not available Flash point > 220 °C Decomposition temperature Not available Evaporation rate Not available Viscosity 46 cSt @ 40°C (Base oil) Flammability (solids and gases) Not available VOC Not available Upper and lower flammability/explosive limits Not available Other None known	Odour threshold Not available	Relative density 0.98				
Initial boiling point/range Not available Auto-ignition temperature Not available Flash point > 220 °C Decomposition temperature Not available Evaporation rate Not available Viscosity 46 cSt @ 40°C (Base oil) Flammability (solids and gases) Not available VOC Not available Upper and lower flammability/explosive limits Not available Other None known		Solubility Negligible				
Flash point > 220 °C Decomposition temperature Not available Evaporation rate Not available Viscosity 46 cSt @ 40°C (Base oil) Flammability (solids and gases) Not available VOC Not available Upper and lower flammability/explosive limits Not available Other None known	Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available				
Evaporation rate Not available Viscosity 46 cSt @ 40°C (Base oil) Flammability (solids and gases) Not available VOC Not available Upper and lower flammability/explosive limits Not available Other None known		Auto-ignition temperature Not available				
Flammability (solids and gases) Not available VOC Not available Upper and lower flammability/explosive limits Not available Other None known						
Upper and lower flammability/explosive limits Not available Other None known		Viscosity 46 cSt @ 40°C (Base oil)				
		VOC Not available				
Section 10. Stability and reactivity	Upper and lower flammability/explosive limits Not available	Other None known				
	Section 10. Stability and reactivity					
Reactivity	Reactivity					
Does not react under the recommended storage and handling conditions prescribed.						
Chemical stability						
Stable under the recommended storage and handling conditions prescribed.						
Possibility of hazardous reactions						
None known.						
Conditions to avoid (static discharge, shock or vibration)						
None known.						
Incompatible materials						
Oxidizing materials; etc.						
Hazardous decomposition products						
None known						



Energy efficiency since 1985					
Section 11. Toxicological information					
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)					
Causes mild skin irritation. Causes serious eye irritation.					
Symptoms related to the physical, chemical and toxicological characteristics					
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing.					
Delayed and immediate effects (chronic effects from short-term and long-term exposure)					
Skin Sensitization – No data available;					
Respiratory Sensitization – No data available;					
Germ Cell Mutagenicity – No data available;					
Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA;					
Reproductive Toxicity – No data available;					
Specific Target Organ Toxicity — Single Exposure – No data available;					
Specific Target Organ Toxicity — Repeated Exposure – No data available;					
Aspiration Hazard – No data available;					
Health Hazards Not Otherwise Classified – No data available;					
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)					
CAS 471-34-1 LD ₅₀ Oral - Rat - 6450 mg/kg;					
ATE not available in this document.					
Section 12. Ecological information					
Ecotoxicity (aquatic and terrestrial information)					
No data available for the product.					
Persistence and degradability No data available					
Bioaccumulative potential No data available					
Mobility in soil No data available					
Other adverse effects No data available					
Section 13. Disposal considerations					
Information on safe handling for disposal/methods of disposal/contaminated packaging					
Dispose of contents/container into safe container in accordance with local, regional or national regulations.					
Section 14. Transport information					
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations					
NOT REGULATED					
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)					
NOT REGULATED					
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)					
NOT REGULATED					
Special precautions (transport/conveyance) None					
Environmental hazards (IMDG or other) None					
Bulk transport (usually more than 450 L in capacity) Possible					
Section 15. Regulatory information					
Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified					
accordance with the hazard criteria of the Hazardous Products Regulations (HPR).					
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL					
Safety/health/environmental outside regulations specifics					
United States OSHA information: This product is regulated according to OSHA (29 CFR).					
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.					
United States TCSA information: Refer to the ingredients listed in Section 3.					
National Fire Protection Association (NFPA):					
HEALTH: 1 FLAMMABILITY: 1 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3.					
HAZARD SCALE: $0 = Minimal$ $1 = Slight$ $2 = Moderate$ $3 = Serious$ $4 = Severe$					
California Proposition 65: This product may contain traces of a material known to the State of California to cause concer or other reproductive herm					

California Proposition 65: This product may contain traces of a material known to the State of California to cause cancer or other reproductive harm.



Section 16. Other information						
Date of the latest revision of the safety data sheet April 23, 2017 version 1 (NSS ENTREPRISE INC.)						
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.					
Abbreviations						
ACGIH	American Conference of Governmental Industrial Hygienists					
ATE	Acute toxicity estimate					
CAS	Chemical Abstract Service					
DSL	Domestic Substance List					
IARC	International Agency for Research on Cancer					
IATA	International Air Transport Association					
IMDG	International Maritime Dangerous Goods Code					
LC	Lethal concentration					
LD	Lethal Dosage					
NIOSH	National Institute for Occupational Safety and Health					
NTP	National Toxicology Program (U.S.A.)					
OSHA	Occupational Safety and Health Administration (U.S.A.)					
PEL	Permissible Exposure Limit					
STEL	Short-term Exposure Limit					
TDG	Transport of dangerous goods in Canada					
TLV	Threshold Limit Value					
TSCA	Toxic Substances Control Act					
TWA	Time Weighted Average					
WHMIS	Workplace Hazardous Materials Information System					
The information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB						
INC.'s knowledge. PROLAB TECHNOLUB INC. Makes no warranty whatever expresses or implied of merchantability or fitness for the particular						
purpose. The information relates only to the specific material designated herein and does not relate to use in combination with any other material						
or in any process. Customers are encouraged to conduct their own tests. Before using the product, read its label. PROLAB TECHNOLUB INC.						
Assumes no resp	Assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.					