

			SAFET	<b>TY DATA S</b>	HEET (SDS)			
			Secti	ion 1. Identi	fication			
Product identifie	er	GS-1000 SOLID						
Other means of								
Recommended u			SUPER GREASE					
Initial supplier i	dentifier				INDUSTRIELLE, THETFORD M	IINES, (QUEBEC), G6H 2J1,		
			L. (418) 423-2777					
Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666								
					lentification			
Classification of hazardous product (name of the category or subcategory of the hazard class)								
Eye irritation (Category 2A) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)								
Information eler	ments (symb	ols, signal word	s, hazard stateme	ents and prec	autionary statements of the catego	ory/subcategory)		
IN EYES, Rinse eye irritation pers (following senter Dispose of conter	s/nails/face t cautiously w sists: Get mean nces not man nts/container	horoughly after h vith water for sev dical attention. ndatory) P403 + into safe contain	veral minutes. Rem P203 + P235 Sto	nove contact	tective clothing/eye protection/face plenses, if present and easy to do. Co -ventilated place. Keep container t ional or national regulations.	ontinue rinsing. P337 + P313 If		
Other hazards k	nown No	one						
			ction 3. Compos	sition/inform	nation on ingredients			
Chemical name	(common na	ame/synonyms)			CAS number or other	Concentration (%)		
Mineral oils					64741-88-4	< 20		
Calcium carbonat					471-34-1	< 20		
Benzenesulfonic			llcium salts		68584-23-6	< 5		
Calcium dodecyll					26264-06-2	< 5		
Sulfonic acids, petroleum, calcium salts				. 5				
					61789-86-4	< 5		
Benzenesulfonic	acid, mono-0		ivs., calcium salts		70024-69-0	< 5		
	acid, mono-0				70024-69-0 36878-20-3			
Benzenesulfonic Bis(nonylphenyl)	acid, mono- <b>(</b> )amine	C16-24-alkyl deri	Section	4. First-aid	70024-69-0 36878-20-3 I measures	< 5 < 5		
Benzenesulfonic	acid, mono- <b>(</b> )amine	C16-24-alkyl deri	Section		70024-69-0 36878-20-3	< 5 < 5		
Benzenesulfonic Bis(nonylphenyl)	acid, mono-( )amine IF INHAL	C16-24-alkyl deri ED: Remove per	Section son to fresh air and	d keep comfo	70024-69-0 36878-20-3 I measures	< 5 < 5 you feel unwell.		
Benzenesulfonic Bis(nonylphenyl) Inhalation	acid, mono-G amine IF INHAL IF SWALI	ED: Remove per LOWED: Immed	Section son to fresh air and liately call a docto	d keep comfo or. DO NOT I	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if	< 5 < 5 you feel unwell. e anything by mouth if victim is		
Benzenesulfonic Bis(nonylphenyl) Inhalation	acid, mono-( )amine IF INHAL IF SWALI rapidly los glasses of	ED: Remove per LOWED: Immed sing consciousne water. If vomitin	Section son to fresh air and liately call a docto ss, or is unconscio g occurs naturally,	d keep comfo or. DO NOT I ous or convu , have victim	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact	acid, mono-( )amine IF INHAL IF SWALI rapidly los glasses of If skin irrit	ED: Remove per LOWED: Immed sing consciousne water. If vomiting tation occurs: Get	Section son to fresh air and liately call a docto ss, or is unconscion g occurs naturally, t medical attention	d keep comfo or. DO NOT I ous or convu , have victim a. Rinse skin v	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes).	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion.		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion	acid, mono-( )amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EY	ED: Remove per LOWED: Immed sing consciousne water. If vomitin, tation occurs: Get ES, Rinse cautio	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f	d keep comfo or. DO NOT I ous or convu , have victim a. Rinse skin v for several m	70024-69-0 36878-20-3 I measures Itable for breathing. Call a doctor if NDUCE VOMITING. NEVER give Ising. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion.		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact	acid, mono-( )amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EY Continue r	ED: Remove per LOWED: Immed sing consciousne water. If vomitin, tation occurs: Get ES, Rinse cautio insing. If eye irr	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge	d keep comfo r. DO NOT I ous or convu , have victim 1. Rinse skin v for several m et medical atte	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give Ising. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention.	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do.		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important	acid, mono-( )amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EY Continue r symptoms a	ED: Remove per ED: Remove per LOWED: Immed sing consciousne water. If vomitin, tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acuto	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed)	d keep comfo r. DO NOT I ous or convu , have victim a. Rinse skin v for several m et medical atte Causes skir	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give Ising. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion.		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important	acid, mono-( )amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EY Continue r symptoms a	ED: Remove per ED: Remove per LOWED: Immed sing consciousne water. If vomitin, tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acuto	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f liation persists: Ge e or delayed) pecial treatment	d keep comfo r. DO NOT I ous or convu , have victim a. Rinse skin v for several m et medical atte Causes skin In all cases	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give Ising. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion.		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im	acid, mono-( amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EYI Continue r symptoms a mediate med	ED: Remove per ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acute dical attention/s	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f liation persists: Ge e or delayed) pecial treatment Section 5.	d keep comfo r. DO NOT I ous or convu , have victim a. Rinse skin v for several m et medical atte Causes skir In all cases . Fire-fighti	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion.		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EYI Continue r <b>symptoms a</b> <b>mediate med</b> s of the haza	ED: Remove per ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Gel ES, Rinse cautio insing. If eye irr and effects (acut dical attention/s rdous product (1)	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu	d keep comfo r. DO NOT I ous or convu , have victim a. Rinse skin v for several m et medical atte Causes skir In all cases . Fire-fighti	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion.		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an	acid, mono-( amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EY Continue r symptoms a mediate med of the haza d other irrita	ED: Remove per ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Gel ES, Rinse cautio insing. If eye irr and effects (acut dical attention/sp rdous product (funt/toxic gases an	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes.	d keep comfo r. DO NOT I ous or convu , have victim a. Rinse skin v for several m et medical atte Causes skir In all cases . Fire-fighti	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion.		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EY Continue r symptoms a mediate mee s of the haza ad other irrita suitable exti	ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acut dical attention/s rdous product (0 int/toxic gases an nguishing media	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes.	d keep comfo or. DO NOT I ous or convu , have victim 1. Rinse skin v for several m et medical atte Causes skir In all cases. Fire-fighti Istion produc	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give Ising. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures ets)	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion.		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EYI Continue r symptoms a mediate med of the haza dother irrita suitable exti se carbon dic	ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acut dical attention/sp rdous product (funt/toxic gases an nguishing media oxide, chemical p	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a	d keep comfo or. DO NOT I ous or convu , have victim . Rinse skin v for several m et medical atte Causes skir In all cases. . Fire-fighti Istion produc	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion.		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EYI Continue r symptoms a mediate med of the haza dother irrita suitable exti se carbon dic ve equipmen	ED: Remove per ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acute dical attention/sp rdous product (funt/toxic gases an nguishing media oxide, chemical p at and precaution	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a ns for fire-fighter	d keep comfo r. DO NOT I ous or convu , have victim 1. Rinse skin v for several m et medical atte Causes skir In all cases. Fire-fighti Istion produce uppropriate for s	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give Ising. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures ets)	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion. cument.		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv During a fire, irri	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EYI Continue r symptoms a mediate med of the haza dother irrita suitable exti se carbon dic ve equipmen itating/toxic s	ED: Remove per ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acut dical attention/sp rdous product (funt/toxic gases an nguishing media oxide, chemical p at and precaution smoke and fumes	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a ns for fire-fighter	d keep comfo r. DO NOT I ous or convu , have victim h. Rinse skin v for several m et medical atte Causes skir In all cases. Fire-fighti istion produce ppropriate for s 1. Do not ente	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give Ising. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures ets)	< 5 < 5 you feel unwell. e anything by mouth if victim is n water. Have victim drink two tion. asses, if present and easy to do. ion. ument. ets. Ets. Firefighters should wear proper		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv During a fire, irri protective equipm	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrite IF IN EY Continue r symptoms a mediate mee s of the haza ad other irrita suitable extii se carbon dic ve equipmen itating/toxic s nent and self-	ED: Remove per LOWED: Immed sing consciousne water. If vomitin, tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acuto dical attention/s) rdous product (() nt/toxic gases an nguishing media oxide, chemical p at and precaution smoke and fumes contained breathi	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a ns for fire-fighter may be generated ng apparatus with	d keep comfo r. DO NOT I ous or convu , have victim a. Rinse skin v for several m et medical atte Causes skir In all cases <b>. Fire-fighti</b> <b>istion produc</b> ppropriate for s 1. Do not ente full facepiece	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures ets) am to extinguish surrounding product r fire area without proper protection.	<ul> <li>&lt; 5</li> <li>&lt; 5</li> <li>you feel unwell.</li> <li>e anything by mouth if victim is n water. Have victim drink two tion.</li> <li>ases, if present and easy to do.</li> <li>ion.</li> <li>aument.</li> <li>ts.</li> <li>Firefighters should wear proper nting, rupturing or bursting cans.</li> </ul>		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv During a fire, irri protective equipm	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrite IF IN EY Continue r symptoms a mediate mee s of the haza ad other irrita suitable extii se carbon dic ve equipmen itating/toxic s nent and self-	ED: Remove per LOWED: Immed sing consciousne water. If vomitin, tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acuto dical attention/s) rdous product (() nt/toxic gases an nguishing media oxide, chemical p at and precaution smoke and fumes contained breathi	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a ns for fire-fighter a may be generated ng apparatus with a without risk. Wate	d keep comfo r. DO NOT I ous or convu , have victim A. Rinse skin v for several m et medical atte Causes skir In all cases <b>. Fire-fighti</b> <b>istion produc</b> ppropriate for <b>s</b> I. Do not ente full facepiece er spray may b	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures ets) am to extinguish surrounding product r fire area without proper protection. . Shield personnel to protect from ve be useful in cooling equipment and ca	<ul> <li>&lt; 5</li> <li>&lt; 5</li> <li>you feel unwell.</li> <li>e anything by mouth if victim is n water. Have victim drink two tion.</li> <li>ases, if present and easy to do.</li> <li>ion.</li> <li>aument.</li> <li>ts.</li> <li>Firefighters should wear proper nting, rupturing or bursting cans.</li> </ul>		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv During a fire, irri protective equipm Move containers f	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EY Continue r symptoms a mediate mee s of the haza d other irrita suitable extii se carbon dic ve equipmen tating/toxic s nent and self- from fire area	ED: Remove per LOWED: Immed sing consciousne water. If vomitin, tation occurs: Ger ES, Rinse cautio insing. If eye irr and effects (acuto dical attention/sp rdous product (funt/toxic gases an nguishing media oxide, chemical p t and precaution smoke and fumes contained breathi a if it can be done	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a ns for fire-fighter s may be generated ng apparatus with t without risk. Wate Section 6. A	d keep comfo r. DO NOT I ous or convu , have victim 1. Rinse skin v for several m et medical atte Causes skin In all cases . Fire-fighti istion produce appropriate for s 1. Do not ente full facepiece er spray may b ccidental re	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures ets) am to extinguish surrounding product r fire area without proper protection.	<ul> <li>&lt; 5</li> <li>&lt; 5</li> <li>you feel unwell.</li> <li>e anything by mouth if victim is n water. Have victim drink two tion.</li> <li>ases, if present and easy to do.</li> <li>ion.</li> <li>aument.</li> <li>ts.</li> <li>Firefighters should wear proper nting, rupturing or bursting cans.</li> </ul>		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv During a fire, irri protective equipm Move containers find Personal precau	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EY Continue r symptoms a mediate mee s of the haza id other irrita suitable exti se carbon dic ve equipmen tating/toxic s nent and self- from fire area	ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Ger ES, Rinse cautio insing. If eye irr and effects (acuto dical attention/sp rdous product (() int/toxic gases an nguishing media oxide, chemical p at and precaution smoke and fumes contained breathi a if it can be done ctive equipment	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a ns for fire-fighter s may be generated ng apparatus with without risk. Wate Section 6. A and emergency p	d keep comfo r. DO NOT I ous or convu , have victim 1. Rinse skin v for several m et medical atte Causes skin In all cases . Fire-fighti istion produce ppropriate for s 1. Do not ente full facepiece er spray may f ccidental recorded	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. a irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures rts) am to extinguish surrounding produc r fire area without proper protection. . Shield personnel to protect from ve be useful in cooling equipment and ca	< 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion. tion. <ptt>tion. <pttion.< p=""> tion. tio</pttion.<></ptt>		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv During a fire, irri protective equipm Move containers for Personal precau Restrict access to	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EY Continue r symptoms a mediate mee s of the haza id other irrita suitable extii se carbon dic ve equipmen tating/toxic s nent and self- from fire area tions, protect o area until c	ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acuto dical attention/sp rdous product () int/toxic gases an nguishing media oxide, chemical p it and precaution smoke and fumes contained breathi a if it can be done ctive equipment	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a ns for fire-fighter s may be generated ng apparatus with without risk. Wate Section 6. A and emergency p	d keep comfo r. DO NOT I ous or convu , have victim 1. Rinse skin v for several m et medical atte Causes skin In all cases . Fire-fighti istion produce the spray may b ccidental re- procedures ean-up is cond	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. n irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures ets) am to extinguish surrounding product r fire area without proper protection. . Shield personnel to protect from ve be useful in cooling equipment and ca	< 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion. tion. <ptt>tion. <pttion.< p=""> tion. tio</pttion.<></ptt>		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv During a fire, irri protective equipm Move containers f Personal precau Restrict access to should wear the a	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EY Continue r symptoms a mediate mee s of the haza id other irrita suitable extii se carbon dic ve equipmen tating/toxic s nent and self- from fire area tions, protect o area until o ppropriate pr	ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acuto dical attention/sp rdous product () int/toxic gases an nguishing media oxide, chemical p it and precaution smoke and fumes contained breathi a if it can be done ctive equipment completion of cle otective equipment	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a ns for fire-fighter s may be generated ng apparatus with without risk. Wate Section 6. A and emergency p ean-up. Ensure cle nt (See Section 8).	d keep comfo r. DO NOT I ous or convu , have victim 1. Rinse skin v for several m et medical atte Causes skin In all cases . Fire-fighti istion produce the spray may b ccidental re- procedures ean-up is cond	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. a irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures rts) am to extinguish surrounding produc r fire area without proper protection. . Shield personnel to protect from ve be useful in cooling equipment and ca	< 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion. tion. <ptt>tion. <pttion.< p=""> tion. tio</pttion.<></ptt>		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv During a fire, irri protective equipm Move containers f Personal precau Restrict access to should wear the a Methods and ma	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrit IF IN EY Continue r symptoms a mediate mee s of the haza id other irrita suitable exti se carbon dic ve equipmen tating/toxic s nent and self- from fire area titons, protecto propriate pr aterials for c	ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Ger ES, Rinse cautio insing. If eye irr and effects (acuto dical attention/sp rdous product () int/toxic gases an nguishing media oxide, chemical p at and precaution smoke and fumes contained breathi a if it can be done ctive equipment completion of cle otective equipment	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a ns for fire-fighter s may be generated ng apparatus with without risk. Wate Section 6. Ad and emergency p ean-up. Ensure cle nt (See Section 8). I cleaning up	d keep comfo r. DO NOT I ous or convu , have victim A. Rinse skin v for several m et medical atte Causes skin In all cases <b>. Fire-fighti</b> <b>istion produce</b> ppropriate for s 1. Do not ente full facepiece er spray may b ccidental recordentes ean-up is cond	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. a irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures rts) am to extinguish surrounding produc r fire area without proper protection. . Shield personnel to protect from ve be useful in cooling equipment and ca elease measures ducted by trained personnel only. A	< 5 < 5 you feel unwell. e anything by mouth if victim is a water. Have victim drink two tion. asses, if present and easy to do. ion. tion. <ptt>tion. <pttion.< p=""> tion.&lt;</pttion.<></ptt>		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv During a fire, irri protective equipm Move containers f Personal precau Restrict access to should wear the a Avoid release to	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrite IF IN EY Continue r symptoms a mediate mee s of the haza id other irrita suitable extii se carbon dic ve equipmen tating/toxic s nent and self- from fire area tions, protect o area until o ppropriate pr aterials for o	ED: Remove per LOWED: Immed sing consciousne water. If vomitin tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acuto dical attention/sp rdous product () int/toxic gases an nguishing media oxide, chemical p it and precaution smoke and fumes contained breathi a if it can be done ctive equipment completion of cle otective equipment containment and nent. Collect spill	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a ns for fire-fighter s may be generated ng apparatus with without risk. Wate Section 6. A and emergency p ean-up. Ensure cle nt (See Section 8). I cleaning up lage. Ventilate area	d keep comfo r. DO NOT I ous or convu , have victim a. Rinse skin v for several m et medical atte Causes skin In all cases <b>. Fire-fighti</b> <b>istion produce</b> ppropriate for <b>s</b> 1. Do not ente full facepiece er spray may b <b>ccidental re</b> <b>procedures</b> ean-up is cond a of release.	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give Ising. Rinse mouth thoroughly with lean forward to reduce risk of aspirat vith water (5-10 minutes). inutes (15-20). Remove contact ler ention. a irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures rts) am to extinguish surrounding produc r fire area without proper protection. . Shield personnel to protect from ve be useful in cooling equipment and ca elease measures ducted by trained personnel only. A Stop the leak if it can be done safely	<ul> <li>&lt; 5</li> <li>&lt; 5</li> <li>&lt; 5</li> <li>you feel unwell.</li> <li>e anything by mouth if victim is is in water. Have victim drink two tion.</li> <li>ases, if present and easy to do.</li> <li>ion.</li> <li>ases, if present and easy to do.</li> <li>beta and easy to do.</li> <li>ases, if present and easy to do.</li> <li>ases, if present and easy to do.</li> <li>beta and flame.</li> <li>ases, present and easy to do.</li> <li>beta and flame.</li> </ul>		
Benzenesulfonic Bis(nonylphenyl) Inhalation Ingestion Skin contact Eye contact Eye contact Most important Indication of im Specific hazards Carbon oxides an Suitable and uns In case of fire: Us Special protectiv During a fire, irri protective equipm Move containers f Personal precau Restrict access to should wear the an Avoid release to liquid concentrate	acid, mono-G amine IF INHAL IF SWALI rapidly los glasses of If skin irrite IF IN EY Continue r symptoms a mediate mee s of the haza id other irrita se carbon dic ve equipmen tating/toxic s nent and self- from fire area tions, protect o area until o ppropriate pr aterials for o	ED: Remove per LOWED: Immed sing consciousne water. If vomitin, tation occurs: Get ES, Rinse cautio insing. If eye irr and effects (acuto dical attention/sp rdous product () int/toxic gases an nguishing media oxide, chemical p it and precaution smoke and fumes contained breathi a if it can be done ctive equipment completion of cle otective equipment containment and nent. Collect spill absorbent materia	Section son to fresh air and liately call a docto ss, or is unconscie g occurs naturally, t medical attention pusly with water f itation persists: Ge e or delayed) pecial treatment Section 5. hazardous combu d fumes. a owder agent and a ns for fire-fighter s may be generated ng apparatus with without risk. Wate Section 6. A and emergency p ean-up. Ensure cle nt (See Section 8). I cleaning up lage. Ventilate area al, then place mate	d keep comfo r. DO NOT I ous or convu , have victim 1. Rinse skin v for several m et medical atte Causes skin In all cases . Fire-fighti istion produce ppropriate for s 1. Do not ente full facepiece er spray may l ccidental re- procedures ean-up is cond a of release. erial into a co	70024-69-0 36878-20-3 I measures rtable for breathing. Call a doctor if NDUCE VOMITING. NEVER give lsing. Rinse mouth thoroughly with lean forward to reduce risk of aspirat with water (5-10 minutes). inutes (15-20). Remove contact ler ention. a irritation. Causes serious eye irritat , call a doctor. Do not forget this doc ng measures rts) am to extinguish surrounding produc r fire area without proper protection. . Shield personnel to protect from ve be useful in cooling equipment and ca elease measures ducted by trained personnel only. A	<ul> <li>&lt; 5</li> <li>&lt; 5</li> <li>&lt; 5</li> <li>you feel unwell.</li> <li>e anything by mouth if victim is is in water. Have victim drink two tion.</li> <li>ases, if present and easy to do.</li> <li>ion.</li> <li>ases, if present and easy to do.</li> <li>beta and easy to do.</li> <li>ases, if present and easy to do.</li> <li>ases, if present and easy to do.</li> <li>beta and flame.</li> <li>ases, present and easy to do.</li> <li>beta and flame.</li> </ul>		



# Section 7. Handling and storage

# **Precautions for safe handling**

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

### Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

**Control parameters (biological limit values or exposure limit values and source of those values)** Exposure limits: CAS 471-34-1 PEL-TWA – 15 mg/m<sup>3</sup> (total) & 5 mg/m<sup>3</sup> (respirable);

### Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

### Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Odour         Characteristic         Vapour density         Not           Odour threshold         Not available         Relative density         0.99	-					
Odour threshold         Not available         Relative density         0.9	8					
	-					
wII Not available C-L-L924- Not available	1					
<b>pH</b> Not available <b>Solubility</b> Not available	Solubility Not available					
Melting/freezing pointNot availablePartition coefficient - n-	octanol/water Not available					
	Auto-ignition temperature Not available					
Flash point>180°CDecomposition tempera	ture Not available					
Evaporation rate         Not available         Viscosity         Not available	Viscosity Not available					
Flammability (solids and gases)         Not available         VOC         Not available	VOC Not available					
Upper and lower flammability/explosive limits Not available Other None known	Other None known					
Section 10. Stability and reactivity						
Reactivity						
Does not react under the recommended storage and handling conditions prescribed.						
Chemical stability						
Stable under the recommended storage and handling conditions prescribed.						
Possibility of hazardous reactions						
None known						
Conditions to avoid (static discharge, shock or vibration)						
None known						
Incompatible materials						
Oxidizing materials; etc.						
Hazardous decomposition products						
None known						



Energy efficiency since 1985	DATE & VERSION - JUNE 23, 2017 VERSION 01					
	Section 11. Toxicological information					
Information on the likely routes of exposure (in	halation, ingestion, skin and eye contact)					
Causes serious eye irritation.						
Symptoms related to the physical, chemical and	l toxicological characteristics					
Eye irritation, redness, tearing;	×					
Delayed and immediate effects (chronic effects	from short-term and long-term exposure)					
Skin Sensitization – No data available;						
Respiratory Sensitization – No data available;						
Germ Cell Mutagenicity – No data available;						
Carcinogenicity - No ingredient listed by IARC, A	ACGIH, NTP or OSHA;					
Reproductive Toxicity – No data available;						
Specific Target Organ Toxicity — Single Exposur	e – No data available;					
Specific Target Organ Toxicity - Repeated Expo	sure – No data available;					
Aspiration Hazard – No data available;						
Health Hazards Not Otherwise Classified - No day	ta available.					
Numerical measures of toxicity (ATE; LD <sub>50</sub> & 1	LC <sub>50</sub> )					
CAS 471-34-1 LD <sub>50</sub> Oral - Rat - 6450 mg/kg;						
ATE not available in this document.						
	Section 12. Ecological information					
Ecotoxicity (aquatic and terrestrial information						
	ilable for this product.					
<b>Bioaccumulative potential</b> No data available						
Mobility in soil No data available for this pr						
Other adverse effects No data available						
	Section 13. Disposal considerations					
Information on safe handling for disposal/meth						
Dispose of contents/container into safe container in accordance with local, regional or national regulations. Section 14. Transport information						
UN number; Proper shipping name; Class(es);						
NOT REGULATED	racking group (10) of the 1DO Regulations					
UN number; Proper shipping name; Class(es);	Packing group (PC) of the IMDC (maritime)					
NOT REGULATED	racking group (1 0) of the MiDO (martine)					
UN number; Proper shipping name; Class(es);	Packing group (PC) of the LATA (air)					
NOT REGULATED	racking group (1 0) of the IATA (an)					
	Jone					
	Vone					
Bulk transport (usually more than 450 L in cap						
Durk transport (usuary more than 450 L in cap	Section 15. Regulatory information					
Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in					
Sarety/nearin Canadian regulations specifics	accordance with the hazard criteria of the Hazardous Products Regulations (HPR).					
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL					
Safety/health/environmental outside regulation	0 17					
United States OSHA information: This product is regulated according to OSHA (29 CFR). United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.						
United States TCSA information: Refer to the ingr						
National Fire Protection Association (NFPA):						
	<b>FABILITY: 0</b> SPECIAL HAZARDS: Refer to Section 2 & 3.					
HAZARD SCALE: $0 = Minimal$ $1 = Slight$ $2 = Moderate$ $3 = Serious$ $4 = Severe$						
	n traces of a material known to the State of California to cause cancer or other reproductive harm.					



PRODUCT IDENTIFIER – GS-1000 SOLID CODE – 288 DATE & VERSION – JUNE 23, 2017 VERSION 01

Section 16. Other information					
Date of the lates	st revision of the safety data sheet June 23, 2017 version 1 (NSS ENTREPRISE INC.)				
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.				
Abbreviations					
ACGIH	American Conference of Governmental Industrial Hygienists				
ATE	Acute toxicity estimate				
CAS	Chemical Abstract Service				
DSL	Domestic Substance List				
IARC	International Agency for Research on Cancer				
IATA	International Air Transport Association				
IMDG	International Maritime Dangerous Goods Code				
LC	Lethal concentration				
LD	Lethal Dosage				
NIOSH	National Institute for Occupational Safety and Health				
NTP	National Toxicology Program (U.S.A.)				
OSHA	Occupational Safety and Health Administration (U.S.A.)				
PEL	Permissible Exposure Limit				
STEL	Short-term Exposure Limit				
TDG	Transport of dangerous goods in Canada				
TLV	Threshold Limit Value				
TSCA	Toxic Substances Control Act				
TWA	Time Weighted Average				
WHMIS	Workplace Hazardous Materials Information System				
The information	presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB				
INC.'s knowledge. PROLAB TECHNOLUB INC. Makes no warranty whatever expresses or implied of merchantability or fitness for the particular					
purpose. The information relates only to the specific material designated herein and does not relate to use in combination with any other material					

or in any process. Customers are encouraged to conduct their own tests. Before using the product, read its label. **PROLAB TECHNOLUB INC.** Assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.