

Revision Date 21-May-2015

Version 1

SAFETY DATA SHEET

| 1. IDENTIFICATION | | |
|---------------------------------------|--------------------------------------|--|
| Product identifier | | |
| Product Name | PC BEARING MOUNT FOR WORN PARTS 6 ML | |
| Other means of identification | | |
| Product Code | 20297 | |
| Synonyms | None | |
| Recommended use of the chemical | and restrictions on use | |
| Recommended Use | Adhesive | |
| Uses advised against | No information available | |
| Details of the supplier of the safety | data sheet | |
| Manufacturer Address | Distributor | |
| ITW Permatex | ITW Permatex Canada | |
| 10 Columbus Blvd. | 35 Brownridge Road, Unit 1 | |
| Hartford, CT 06106 USA | Halton Hills, ON Canada L7G 0C6 | |
| | Telephone: (800) 924-6994 | |
| Company Phone Number | 1-87-Permatex | |
| | (877) 376-2839 | |
| 24 Hour Emergency Phone Number | | |
| | International Emergency: | |
| | 00+1+ 813-248-0585 | |
| | Contract Number: MIS0003453 | |
| E-mail address | mail@permatex.com | |
| | 2. HAZARDS IDENTIFICATION | |

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation | Category 2 |
|--|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Skin sensitization | Category 1 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

Label elements

Warning

Emergency Overview

Causes skin irritation

Causes serious eye irritation May cause an allergic skin reaction

May cause damage to organs through prolonged or repeated exposure



Physical state Paste

Odor Pungent

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing should not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Get medical advice/attention if you feel unwell Specific treatment (see supplemental first aid instructions on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity

64.553% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

substance(s)

| Chemical Name | CAS No | Weight-% | Trade Secret |
|---|------------|----------|--------------|
| ETHOXYLATED BISPHENOL A DIMETHACRYLATE | 24448-20-2 | 30 - 60 | * |
| HYDROXYALKYL METHACRYLATE | 27813-02-1 | 15 - 40 | * |
| TREATED SILICON DIOXIDE, SYNTHETIC, CRYSTALLINE-FREE | 67762-90-7 | 5 - 10 | * |
| POLYESTER RESIN | _ | 5 - 10 | * |
| POLYVINYL ACETATE | 9003-20-7 | 1 - 5 | * |
| DIMETHYLBENZYL HYDROPEROXIDE | 80-15-9 | 1 - 5 | * |
| PROPYLENE GLYCOL | 57-55-6 | 1 - 5 | * |
| SACCHARIN | 81-07-2 | 1 - 5 | * |

entration) of compo

4. FIRST AID MEASURES

Description of first aid measures

| General advice | Get medical advice/attention if you feel unwell. |
|--|--|
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, in present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Skin contact | IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. |
| nhalation | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician. |
| ngestion | IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician. |
| Self-protection of the first aider | Use personal protective equipment as required. |
| Most important symptoms and effe | ects, both acute and delayed |
| Symptoms | See section 2 for more information. |
| Indication of any immediate medic | al attention and special treatment needed |
| Note to physicians | Treat symptomatically. |
| | 5. FIRE-FIGHTING MEASURES |
| Suitable extinguishing media Carbon dioxide (CO2), Dry chemical, | Foam |
| Unsuitable extinguishing media None. | |
| Specific hazards arising from the c None in particular. | <u>hemical</u> |
| <u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge | None. None. |
| | ons for firefighters |
| Protective equipment and precauti As in any fire, wear self-contained bre protective gear. | eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full |
| As in any fire, wear self-contained bre | |
| As in any fire, wear self-contained bro protective gear. | eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full |

n. ŀ Use personal protective equipment as required. Environmental precautions See Section 12 for additional ecological information. Do not flush into surface water or **Environmental precautions** sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Methods for containment

| Methods for cleaning up | Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. | |
|--|--|--|
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. | |
| | 7. HANDLING AND STORAGE | |
| Precautions for safe handling | | |
| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required. | |
| Conditions for safe storage, includ | ling any incompatibilities | |
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. | |
| Incompatible materials | Strong oxidizing agents, Reducing agent, Amines, Reactive metals | |
| 8. EX | POSURE CONTROLS/PERSONAL PROTECTION | |
| Control parameters | | |
| Exposure Guidelines NIOSH IDLH Immediately Dangerou | is to Life or Health | |
| Other Information | Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). | |
| Appropriate engineering controls | | |
| Engineering Controls | Showers Eyewash stations Ventilation systems | |
| Individual protection measures, su | ich as personal protective equipment | |
| Eye/face protection | Wear safety glasses with side shields (or goggles). | |
| Skin and body protection | Wear protective gloves and protective clothing. | |
| Respiratory protection | Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate. | |
| General Hygiene Considerations | When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. | |
| | 9. PHYSICAL AND CHEMICAL PROPERTIES | |
| Information on basic physical and | chemical properties | |
| Physical state Appearance Odor Odor threshold | Paste Gray Pungent No information available | |

<u>Property</u> pH Melting point / freezing point <u>Values</u> No information available No information available

Remarks • Method

| Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air | > 150 °C / 302 °F > 93 °C / > 199 °F < 1 No information available | Butyl acetate = 1 |
|--|---|-------------------|
| Upper flammability limit: Lower flammability limit: | No information available No information available <5 mmHg | |
| Vapor pressure Vapor density Relative density | <5 mmg >1 1.1 | Air = 1 |
| Water solubility Solubility in other solvents | Slightly soluble No information available | |
| Partition coefficient Autoignition temperature Decomposition temperature | No information available No information available No information available | |
| Kinematic viscosity | No information available No information available | |
| Explosive properties Oxidizing properties | No information available No information available | |
| Other Information | | |
| Softening point Molecular weight VOC Content (%) Density Bulk density | No information available No information available <2% No information available No information available | |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents, Reducing agent, Amines, Reactive metals

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|---|-------------|-----------------|
| Ingestion | Ingestion may cause irritation to mucous membranes. | | |
| Skin contact | May cause skin irritation and/or dermatitis. May cause sensitization by skin contact. | | |
| Eye contact | Contact with eyes may cause irritation. May cause redness and tearing of the eyes. | | |
| Inhalation | May be harmful by inhalation. | | |

20297 - PC BEARING MOUNT FOR WORN PARTS 6 ML

| HYDROXYALKYL METHACRYLATE 27813-02-1 | = 11200 mg/kg(Rat) | > 3000 mg/kg (Rabbit) | - |
|--|---------------------|------------------------|--------------------|
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | = 382 mg/kg (Rat) | = 0.126 mL/kg (Rabbit) | = 220 ppm (Rat)4 h |
| PROPYLENE GLYCOL 57-55-6 | = 20000 mg/kg (Rat) | = 20800 mg/kg (Rabbit) | - |

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization Germ cell mutagenicity Carcinogenicity | No information available. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen. | | | |
|--|--|---------|-----|------|
| Chemical Name | ACGIH | IARC | NTP | OSHA |
| POLYVINYL ACETATE 9003-20-7 | - | Group 3 | - | - |
| SACCHARIN 81-07-2 | - | Group 3 | - | - |

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

The following values are calculated based on chapter 3.1 of the GHS document .

| ATEmix (oral) | 4376 mg/kg |
|-------------------------------|------------|
| ATEmix (dermal) | 2873 mg/kg |
| ATEmix (inhalation-dust/mist) | 8.9 mg/l |

12. ECOLOGICAL INFORMATION

Ecotoxicity

95.29% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|--|--|---|---|
| HYDROXYALKYL METHACRYLATE 27813-02-1 | - | 493: 48 h Leuciscus idus melanotus mg/L LC50 static | - |
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | - | 3.9: 96 h Oncorhynchus mykiss mg/L LC50 static | 7: 24 h Daphnia magna mg/L EC50 |
| PROPYLENE GLYCOL 57-55-6 | 19000: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50 | 1000: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna mg/L EC50 |
| SACCHARIN 81-07-2 | - | 18300: 96 h Pimephales promelas mg/L LC50 | - |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

| Chemical Name | Partition coefficient |
|---------------------------|-----------------------|
| HYDROXYALKYL METHACRYLATE | 0.97 |
| 27813-02-1 | |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
|------------------------|---|
| Contaminated packaging | Do not reuse container. |
| US EPA Waste Number | Not applicable |

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|----------------|------|--------------------------|------------------------|------------------------|
| DIMETHYLBENZYL | - | - | - | U096 |
| HYDROPEROXIDE | | | | |
| 80-15-9 | | | | |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| DIMETHYLBENZYL HYDROPEROXIDE | Toxic |
| 80-15-9 | Ignitable |

14. TRANSPORT INFORMATION

| DOT Proper shipping name: | Not regulated |
|-------------------------------|---------------|
| IATA Proper shipping name: | Not regulated |
| IMDG Proper shipping name: | Not regulated |

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|-------------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Not Listed. |
| ENCS | Not Listed. |
| IECSC | Complies |
| KECL | Complies |
| PICCS | Complies |
| AICS | Complies |
| | |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|--|-------------------------------|
| DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9 | 1.0 |
| SACCHARIN - 81-07-2 | 1.0 |
| SARA 311/312 Hazard Categories | |
| Acute health hazard | Yes |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|----------------|--------------------------|----------------|--------------------------|
| DIMETHYLBENZYL | 10 lb | - | RQ 10 lb final RQ |
| HYDROPEROXIDE | | | RQ 4.54 kg final RQ |
| 80-15-9 | | | |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 | |
|--------------------------------------|---------------------------|--|
| CARBON BLACK - 1333-86-4 | Carcinogen | |
| LLC. State Dight to Know Degulations | | |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | Х | X | X |
| PROPYLENE GLYCOL 57-55-6 | Х | - | Х |
| SACCHARIN 81-07-2 | Х | Х | Х |
| METHACRYLIC ACID 79-41-4 | Х | Х | Х |
| ACRYLIC ACID 79-10-7 | Х | Х | Х |
| CARBON BLACK 1333-86-4 | Х | Х | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| <u>NFPA</u> | Health hazards 2 | Flammability 1 | Instability 0 | - |
|-------------|------------------|----------------|--------------------|-----------------------|
| HMIS | Health hazards 2 | Flammability 1 | Physical hazards 0 | Personal protection B |

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Revision Date 21-May-2015

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet