



SAFETY DATA SHEET

Revision Date 23-Mar-2016

Version 3

1. IDENTIFICATION

Product identifier

Product Name SURFACE INSENSITIVE THREADLOCKER BLUE 50ML

Other means of identification

Product Code 24350

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Adhesive

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

ITW Permatex
6875 Parkland Blvd.
Solon, OH 44139 USA

Distributor

ITW Permatex Canada
35 Brownridge Road, Unit 1
Halton Hills, ON Canada L7G 0C6
Telephone: (800) 924-6994

Company Phone Number 1-87-Permatex

(877) 376-2839

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency:

00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address mail@permatex.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Skin sensitization | Category 1 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

Label elements

Emergency Overview

Warning

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause damage to organs through prolonged or repeated exposure



Appearance Blue

Physical state Liquid

Odor Mild

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Contaminated work clothing should not be allowed out of the workplace
Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)
Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN: Wash with plenty of soap and water
Take off contaminated clothing and wash before reuse
If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- Not applicable

Unknown acute toxicity

70.88 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

substance(s)

| Chemical Name | CAS No | Weight-% | Trade Secret |
|------------------------------|------------|----------|--------------|
| POLYGLYCOL DIMETHACRYLATE | 25852-47-5 | 40 - 70 | * |
| TETRAETHYLENE GLYCOL HEXOATE | 18268-70-7 | 10 - 30 | * |
| POLYVINYL ACETATE | 9003-20-7 | 1 - 5 | * |
| SACCHARIN | 81-07-2 | 1 - 5 | * |
| DIMETHYLBENZYL HYDROPEROXIDE | 80-15-9 | 1 - 5 | * |
| MALEIC ACID | 110-16-7 | 0.1 - 1 | * |
| ACRYLIC ACID | 79-10-7 | 0.1 - 1 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| | |
|---|--|
| General advice | Get medical advice/attention if you feel unwell. |
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Skin contact | IF ON SKIN: Wash with soap and water. In the case of skin irritation or allergic reactions see a physician. Wash contaminated clothing before reuse. |
| Inhalation | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician. |
| Ingestion | IF SWALLOWED: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician. |
| Self-protection of the first aider | Use personal protective equipment as required. |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|-------------------------------------|
| Symptoms | See section 2 for more information. |
|-----------------|-------------------------------------|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Note to physicians | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable extinguishing media

None.

Specific hazards arising from the chemical

None in particular.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|---|
| Personal precautions | Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required. |
|-----------------------------|---|

Environmental precautions

| | |
|----------------------------------|---|
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information. |
|----------------------------------|---|

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel |

into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidizing agents, Peroxides, Inert Gases

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------|------------------|--|--|
| ACRYLIC ACID 79-10-7 | TWA: 2 ppm S* | (vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m ³ (vacated) S* | TWA: 2 ppm TWA: 6 mg/m ³ |

NIOSH IDLH *Immediately Dangerous to Life or Health*

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

Respiratory protection Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Blue
Odor Mild
Odor threshold No information available

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|-----------------|--------------------------|-------------------------|
| pH | No information available | |

| | | |
|--------------------------------|--------------------------|----------------------------------|
| Melting point / freezing point | No information available | |
| Boiling point / boiling range | > 150 °C / >302 °F | |
| Flash point | > 95 °C / > 203 °F | Pensky-Martens Closed Cup (PMCC) |
| Evaporation rate | < 1 | Butyl acetate = 1 |
| Flammability (solid, gas) | No information available | |
| Flammability Limit in Air | | |
| Upper flammability limit: | No information available | |
| Lower flammability limit: | No information available | |
| Vapor pressure | No information available | |
| Vapor density | >1 | Air = 1 |
| Relative density | 1.00-1.15 | |
| Water solubility | Insoluble in water | |
| Solubility in other solvents | No information available | |
| Partition coefficient | No information available | |
| Autoignition temperature | No information available | |
| Decomposition temperature | No information available | |
| Kinematic viscosity | No information available | |
| Dynamic viscosity | No information available | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |

Other Information

| | |
|------------------|--------------------------|
| Softening point | No information available |
| Molecular weight | No information available |
| VOC Content (%) | <3% |
| Density | No information available |
| Bulk density | No information available |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents, Peroxides, Inert Gases

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|--------------|---|
| Inhalation | May cause irritation of respiratory tract. |
| Eye contact | Contact with eyes may cause irritation. May cause redness and tearing of the eyes. |
| Skin contact | May cause skin irritation and/or dermatitis. May cause sensitization by skin contact. |
| Ingestion | Ingestion may cause irritation to mucous membranes. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--|--|---|
| TETRAETHYLENE GLYCOL HEXOATE 18268-70-7 | = 18 g/kg (Rat) | > 20 mL/kg (Rabbit) | - |
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | = 382 mg/kg (Rat) | = 0.126 mL/kg (Rabbit) | = 220 ppm (Rat) 4 h |
| MALEIC ACID 110-16-7 | = 708 mg/kg (Rat) | = 1560 mg/kg (Rabbit) | > 720 mg/m ³ (Rat) 1 h |
| ACRYLIC ACID 79-10-7 | = 193 mg/kg (Rat) = 33500 µg/kg (Rat) | = 280 µL/kg (Rabbit) = 295 mg/kg (Rabbit) | = 11.1 mg/L (Rat) 1 h = 3.6 mg/L (Rat) 4 h |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|-------|---------|-----|------|
| POLYVINYL ACETATE 9003-20-7 | - | Group 3 | - | - |
| SACCHARIN 81-07-2 | - | Group 3 | - | - |
| ACRYLIC ACID 79-10-7 | - | Group 3 | - | - |

*IARC (International Agency for Research on Cancer)
Not classifiable as a human carcinogen*

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5215 mg/kg
ATEmix (dermal) 11522 mg/kg
ATEmix (inhalation-dust/mist) 9.7 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

93.391 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|--|--|--|---|
| SACCHARIN 81-07-2 | - | 18300: 96 h Pimephales promelas mg/L LC50 | - |
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | - | 3.9: 96 h Oncorhynchus mykiss mg/L LC50 static | 7: 24 h Daphnia magna mg/L EC50 |
| MALEIC ACID 110-16-7 | - | 5: 96 h Pimephales promelas mg/L LC50 static | 250 - 400: 48 h Daphnia magna mg/L EC50 |
| ACRYLIC ACID 79-10-7 | 0.17: 96 h Pseudokirchneriella subcapitata mg/L EC50 0.04: 72 h Desmodesmus subspicatus mg/L EC50 | 222: 96 h Brachydanio rerio mg/L LC50 semi-static | 95: 48 h Daphnia magna mg/L EC50 270: 24 h Daphnia magna mg/L LC50 Static |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

| Chemical Name | Partition coefficient |
|---------------|-----------------------|
|---------------|-----------------------|

| | |
|-------------------------|--------------|
| MALEIC ACID 110-16-7 | -0.79 - 0.32 |
| ACRYLIC ACID 79-10-7 | 0.38 - 0.46 |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|--|------|--------------------------|------------------------|------------------------|
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | - | - | - | U096 |
| ACRYLIC ACID 79-10-7 | - | - | - | U008 |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|---|-----------------------------------|
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | Toxic Ignitable |

14. TRANSPORT INFORMATION

DOT

Proper shipping name: Not regulated

IATA

Proper shipping name: Not regulated

IMDG

Proper shipping name: Not regulated

15. REGULATORY INFORMATION

International Inventories

| | |
|---------------|-------------|
| TSCA | Complies |
| DSL/NDL | Complies |
| EINECS/ELINCS | Not Listed. |
| ENCS | Not Listed. |
| IECSC | Complies |
| KECL | Complies |
| PICCS | Not Listed. |
| AICS | Complies |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|--|-------------------------------|
| DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9 | 1.0 |
| SACCHARIN - 81-07-2 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute health hazard | Yes |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| MALEIC ACID 110-16-7 | 5000 lb | - | - | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|--|--------------------------|----------------|--|
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | 10 lb | - | RQ 10 lb final RQ RQ 4.54 kg final RQ |
| MALEIC ACID 110-16-7 | 5000 lb | - | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| ACRYLIC ACID 79-10-7 | 5000 lb | - | RQ 5000 lb final RQ RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| PROPYLENE GLYCOL 57-55-6 | X | - | X |
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | X | X | X |
| SACCHARIN 81-07-2 | X | X | X |
| ACRYLIC ACID 79-10-7 | X | X | X |
| WATER 7732-18-5 | - | - | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| | | | | |
|-------------|-------------------------|-----------------------|---------------------------|------------------------------|
| NFPA | Health hazards 2 | Flammability 1 | Instability 0 | - |
| HMIS | Health hazards 2 | Flammability 1 | Physical hazards 0 | Personal protection B |

NFPA (National Fire Protection Association)
HMIS (Hazardous Material Information System)

Revision Date 23-Mar-2016

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet