

# Rain-X De-Icer

## Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 09/23/2016

Revision date: 09/23/2016

Version: 1.0

### SECTION 1: Identification

#### 1.1. Product identifier

Product name : Rain-X De-Icer  
Product code : 29240, 75010

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses and restrictions : De-icer

#### 1.3. Details of the supplier of the safety data sheet

ITW Permatex Canada  
35 Brownridge Road, Unit 1  
ON L7G 0C6 Halton Hills - Canada  
T 1-905-693-8900

#### 1.4. Emergency telephone number

Emergency number : 1-877-504-9352

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-CA classification

|                           |      |
|---------------------------|------|
| Flam. Aerosol 1           | H222 |
| Liquefied gas             | H280 |
| Acute Tox. 3 (Oral)       | H301 |
| Acute Tox. 3 (Dermal)     | H311 |
| Acute Tox. 3 (Inhalation) | H331 |
| Eye Irrit. 2A             | H319 |
| Repr. 1B                  | H360 |
| STOT SE 2                 | H371 |
| STOT SE 3                 | H336 |

#### 2.2. Label elements

##### GHS-CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS-CA) : Danger

Hazard statements (GHS-CA) : H222 - Extremely flammable aerosol  
H280 - Contains gas under pressure; may explode if heated  
H301 - Toxic if swallowed  
H311 - Toxic in contact with skin  
H331 - Toxic if inhaled  
H319 - Causes serious eye irritation  
H360 - May damage fertility or the unborn child  
H371 - May cause damage to organs  
H336 - May cause drowsiness or dizziness.

Precautionary statements (GHS-CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Do not pierce or burn, even after use.  
P264 - Wash hands thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P260 - Do not breathe dust/fume/gas/mist/ vapours/spray.  
P308 + P311 - IF EXPOSED OR CONCERNED: Call a POISON CENTER/doctor.  
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P330 - Rinse mouth.  
P302 + P352 - IF ON SKIN: Wash with plenty of water.  
P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse.  
P312 - Call a POISON CENTER/doctor if you feel unwell.  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P311 - Call a POISON CENTER/doctor.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# Rain-X De-Icer

## Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

P337 + P313 - If eye irritation persists: Get medical advice/attention.  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
P405 - Store locked up.  
P403 - Store in a well-ventilated place.  
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-CA)

4.5% of the mixture consists of ingredient(s) of unknown acute oral toxicity.

4.5% of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

9.5% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name           | Product identifier | %    |
|----------------|--------------------|------|
| Methyl alcohol | (CAS No) 67-56-1   | 89.5 |

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : If inhaled: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a poison center or a doctor if you feel unwell.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.

First-aid measures after ingestion : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Toxic if inhaled. May cause drowsiness or dizziness. May cause respiratory irritation.

Symptoms/injuries after skin contact : Toxic in contact with skin. May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms/injuries after eye contact : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Symptoms/injuries after ingestion : Toxic if swallowed. May cause stomach distress, nausea or vomiting. This material contains methanol, which, when ingested, may cause acidosis, ocular toxicity ranging from diminished visual capacity to complete blindness, and death.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Carbon dioxide. Water fog.

Unsuitable extinguishing media : Do not use water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon and oxides of nitrogen.

Explosion hazard : Contains gas under pressure; may explode if heated. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

### 5.3. Advice for firefighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Vapours may be heavier than air and may travel along the ground to a distant ignition source and flash back. Use water spray to keep fire-exposed containers cool.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

# Rain-X De-Icer

## Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

### 6.4. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking.

Precautions for safe handling : Do not spray on an open flame or other ignition source. Use non-sparking tools. Use explosion-proof equipment. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.

Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep locked up and out of reach of children. Store away from direct sunlight or other heat sources. Do not store at temperatures above 49 °C / 120 °F.

Storage area : Store in a well-ventilated place.

### 7.3. Specific end use(s)

Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Methyl alcohol (67-56-1) |                                       |                       |
|--------------------------|---------------------------------------|-----------------------|
| ACGIH                    | ACGIH TWA (ppm)                       | 200 ppm               |
| ACGIH                    | ACGIH STEL (ppm)                      | 250 ppm               |
| IDLH                     | US IDLH (ppm)                         | 6000 ppm              |
| NIOSH                    | NIOSH REL (TWA) (mg/m <sup>3</sup> )  | 260 mg/m <sup>3</sup> |
| NIOSH                    | NIOSH REL (TWA) (ppm)                 | 200 ppm               |
| NIOSH                    | NIOSH REL (STEL) (mg/m <sup>3</sup> ) | 325 mg/m <sup>3</sup> |
| NIOSH                    | NIOSH REL (STEL) (ppm)                | 250 ppm               |

### 8.2. Exposure controls

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, and vapour below recommended exposure limits.

Hand protection : Wear chemically resistant protective gloves.

Eye protection : Safety glasses with side-shields.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Aerosol-Pressurized Liquid.

Appearance : Clear.

Colour : No data available

Odour : Alcohol.

Odour threshold : No data available

# Rain-X De-Icer

## Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

|   |                     |
|---|---------------------|
| pH  | : 7.4 (concentrate) |
| pH solution                                     | : No data available |
| Relative evaporation rate (butylacetate=1)      | : No data available |
| Relative evaporation rate (ether=1)             | : No data available |
| Melting point                                   | : No data available |
| Freezing point                                  | : No data available |
| Boiling point                                   | : No data available |
| Flash point                                     | : No data available |
| Auto-ignition temperature                       | : No data available |
| Decomposition temperature                       | : No data available |
| Flammability (solid, gas)                       | : Flammable         |
| Vapour pressure                                 | : No data available |
| Vapour pressure at 50 °C                        | : No data available |
| Relative vapour density at 20 °C                | : No data available |
| Relative density                                | : 0.806 - 0.808     |
| Relative density of saturated gas/air mixture   | : No data available |
| Density   | : No data available |
| Relative gas density                            | : No data available |
| Solubility                                      | : No data available |
| Partition coefficient n-octanol/water           | : No data available |
| Log Kow   | : No data available |
| Viscosity, kinematic                            | : No data available |
| Viscosity, kinematic (calculated value) (40 °C) | : No data available |
| Explosive properties                            | : No data available |
| Oxidising properties                            | : No data available |
| Explosive limits                                | : No data available |
| Lower explosive limit (LEL)                     | : No data available |
| Upper explosive limit (UEL)                     | : No data available |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reaction known under conditions of normal use. Do not store at temperatures above 49 °C.

### 10.2. Chemical stability

Stable under normal storage conditions. Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

### 10.4. Conditions to avoid

Heat, sparks, flame. Sources of ignition. Incompatible materials.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon and oxides of nitrogen.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

| Rain-X De-Icer      |  |
|---------------------|--|
| LD50 oral rat       | >50 but ≤300 mg/kg (Calculated using ATE values)   |
| LD50 dermal rabbit  | >200 but ≤1000 mg/kg (Calculated using ATE values) |
| LC50 inhalation rat | >0.5 but ≤1.0mg/l/4h (Calculated using ATE values) |

Skin corrosion/irritation : Based on available data, the classification criteria are not met.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Based on available data, the classification criteria are not met.

# Rain-X De-Icer

## Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

|                                      |  |
|--------------------------------------|--|
| Germ cell mutagenicity               | : Based on available data, the classification criteria are not met.  |
| Carcinogenicity                      | : Based on available data, the classification criteria are not met.  |
| Reproductive toxicity                | : May damage fertility or the unborn child.  |
| STOT-single exposure                 | : May cause damage to organs. May cause drowsiness or dizziness.   |
| STOT-repeated exposure               | : Based on available data, the classification criteria are not met.  |
| Aspiration hazard                    | : Based on available data, the classification criteria are not met.  |
| Symptoms/injuries after inhalation   | : Toxic if inhaled. May cause drowsiness or dizziness. May cause respiratory irritation.   |
| Symptoms/injuries after skin contact | : Toxic in contact with skin. May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.  |
| Symptoms/injuries after eye contact  | : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.  |
| Symptoms/injuries after ingestion    | : Toxic if swallowed. May cause stomach distress, nausea or vomiting. This material contains methanol, which, when ingested, may cause acidosis, ocular toxicity ranging from diminished visual capacity to complete blindness, and death. |

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

#### 12.2. Persistence and degradability

##### Rain-X De-Icer

|                               |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

#### 12.3. Bioaccumulative potential

##### Rain-X De-Icer

|                           |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Flammable vapours may accumulate in the container. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

### SECTION 14: Transport information

In accordance with Transportation of Dangerous Goods

#### Transportation of Dangerous Goods

|                            |  |
|----------------------------|--|
| UN-No. (TDG)               | : UN1950   |
| Proper Shipping Name (TGD) | : AEROSOLS flammable, containing substances in Class 6.1, packing group II |
| TDG Primary Hazard Classes | : 2.1 (6.1)  |
| Hazard labels (TDG)        | :  |



Packing group : II

### SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories except:

|   |            |
|---|------------|
| 1-Hexadecanaminium, N,N,N-trimethyl-, acetate (1:1) | 51374-75-5 |
| Hexadecyldimethylammonium chloride                  | 2016-45-7  |

### SECTION 16: Other information

|                       |              |
|-----------------------|--------------|
| Date of issue         | : 09/23/2016 |
| Revision date         | : 09/23/2016 |
| Indication of changes | : None.      |

# Rain-X De-Icer

## Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

---

Other information : None.

*Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.*