SAFETY DATA SHEET

1. Identification

Product identifier Rain-X High Foaming Car Wash

Other means of identification 36255

Recommended use Car wash

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name ITW Permatex Canada

Address c/o ITW Global Brands Canada

2360 Bristol Circle, Suite 101

Oakville, ON L6H 6M5

Telephone (905) 693-8900

E-mail CanadaCS@itwgb.com
Emergency phone number 800-255-3924 (Chem-Tel)

Supplier See above.

2. Hazard identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear protective gloves, eye protection, and face protection.

Response IF ON SKIN: Wash with plenty of water. Specific treatment (see information on this label). If skin

irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage Store away from incompatible materials.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Sodium dodecylbenzenesulfonate	9	68081-81-2	10-30
Sodium xylene sulphonate		1300-72-7	0.5-1.5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade

secret.

4. First-aid measures

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Skin contactIF ON SKIN: Wash with plenty of water. Specific treatment (see information on this label). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

#35024 Page: 1 of 6 Issue date 26-August-2022

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present Eye contact and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of Ingestion aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention. Most important Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. symptoms/effects, acute and delayed Indication of immediate Provide general supportive measures and treat symptomatically. Symptoms may be delayed. medical attention and special treatment needed If you feel unwell, seek medical advice (show the label where possible). Show this safety data **General information** sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children. 5. Fire-fighting measures Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide. Do not use water jet as an extinguisher, as this will spread the fire. Unsuitable extinguishing media Specific hazards arising from During fire, gases hazardous to health may be formed. the chemical May include and are not limited to: Oxides of carbon. **Hazardous combustion** products Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment and precautions for firefighters Fire fighting Move containers from fire area if you can do so without risk. equipment/instructions Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods General fire hazards No unusual fire or explosion hazards noted. 6. Accidental release measures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch Personal precautions, damaged containers or spilled material unless wearing appropriate protective clothing. Ensure protective equipment and adequate ventilation. Local authorities should be advised if significant spillages cannot be emergency procedures contained. For personal protection, see section 8 of the SDS. Methods and materials for Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product containment and cleaning up recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. **Environmental precautions** Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters. 7. Handling and storage Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Precautions for safe handling Wash thoroughly after handling. Observe good industrial hygiene practices. When using do not eat or drink. Conditions for safe storage, Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children. including any incompatibilities 8. Exposure controls/Personal protection Occupational exposure limits No exposure limits noted for ingredient(s). No biological exposure limits noted for the ingredient(s). **Biological limit values** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Impervious gloves. Confirm with reputable supplier first.

#35024 Page: 2 of 6 Issue date 26-August-2022

Other Wear appropriate chemical resistant clothing. As required by employer code.

Where exposure quideline levels may be exceeded, use an approved NIOSH respirator. Respiratory protection

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Colour Green Mild Odour

Odour threshold Not available.

8 - 9.5

Not available. Melting point/freezing point

Initial boiling point and boiling

range

Not available.

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Explosive limit - upper

Not available. Not available.

Vapour pressure Vapour density

Not available. Not available. 1.005-1.015

Relative density Solubility(ies)

> Soluble Solubility (water)

Partition coefficient

(n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available.

Not available.

Viscosity Other information

> Not explosive. **Explosive properties** Not oxidising. Oxidising properties

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Do not mix with other chemicals. Conditions to avoid

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

#35024 Page: 3 of 6 Issue date 26-August-2022 11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity See below.

Components Species Test Results

Sodium dodecylbenzenesulfonate (CAS 68081-81-2)

Acute

Dermal

LD50 Rat > 2000 mg/kg, OECD SIDS

Inhalation

LC50 Not available

Oral

LD50 Rat 1080 - 1980 mg/kg, OECD SIDS

Sodium xylene sulphonate (CAS 1300-72-7)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 6.4 mg/L, 232 Minutes, ECHA

Oral

LD50 Rat > 3346 mg/kg, ECHA

6500 mg/kg, OECD SIDS

Skin corrosion/irritation Causes skin irritation.

Exposure minutes Not available.

Erythema value Not available.

Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classified.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Not available.

#35024 Page: 4 of 6 Issue date 26-August-2022

Further information Not available.

12. Ecological information

Ecotoxicity Not available.

Persistence and degradability
No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsDispose of container in accordance with local, regional, national and international regulations.

Dispose in accordance with all applicable regulations.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

The westerned as health be assigned in discussion between the west

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

Contaminated packaging

products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposed instructions)

be disposed of in a safe manner (see: Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

General Canada: TDG Proof of Classification: Classification Method: Classified as per Part 2, Sections

2.1-2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical

name and the classification of the product will appear below.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS status Hazardous

International regulations

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

Canada Domestic Substances List (DSL)

Yes

Nο

Canada Non-Domestic Substances List (NDSL)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information



FLAMMABILITY 1

PHYSICAL HAZARD 0

PERSONAL PROTECTION

2 0

Issue date26-August-2022Revision date26-August-2022

Version No. 02

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Disclaimer

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Prepared by

Dell Tech Laboratories Ltd. Phone: (519) 858-5021