

Revision Date 11-Mar-2016

# SAFETY DATA SHEET

Category 1

Version 1

## **1. IDENTIFICATION**

<u>Product identifier</u> Product Name	PC PERMATEX VALVE GRINDING COMPOUND 474 G
Other means of identification	
Product Code	58874
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Lubricant
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Manufacturer Address	<u>Distributor</u>
ITW Permatex	ITW Permatex Canada
6875 Parkland Blvd.	35 Brownridge Road, Unit 1
Solon, OH 44139 USA	Halton Hills, ON Canada L7G 0C6
,	Telephone: (800) 924-6994
Company Phone Number	1-87-Permatex
····	(877) 376-2839
24 Hour Emergency Phone Number	
_ · · · · · · · · · · · · · · · · · · ·	International Emergency:
	00+1+813-248-0585
	Contract Number: MIS0003453
E-mail address	mail@permatex.com

## 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin	sensitization
	Sensilization

#### Label elements

Emergency Overview
Warning
May cause an allergic skin reaction

#### Appearance Gray

#### Physical state Paste

Odor Petroleum

#### Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves Contaminated work clothing should not be allowed out of the workplace

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

- Toxic to aquatic life with long lasting effects

- The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I

Unknown acute toxicity

**Description of first aid measures** 

41.1 % of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
DISTILLATES (PETROLEUM), HYDROTREATED	64742-52-5	30 - 60	*
HEAVY NAPHTHENIC			
SILICON CARBIDE	409-21-2	30 - 60	*
ZINC OXIDE	1314-13-2	3 - 7	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

General advice	Get medical advice/attention if you feel unwell.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs:. Wash contaminated clothing before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.	

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Most important symptoms and effects, both acute and delayed Symptoms See section 2 for more information. Indication of any immediate medical attention and special treatment needed Note to physicians Treat symptomatically. 5. FIRE-FIGHTING MEASURES Suitable extinguishing media Carbon dioxide (CO2), Dry chemical, Foam Unsuitable extinguishing media None. Specific hazards arising from the chemical None in particular. Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None. Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Personal precautions Use personal protective equipment as required. Environmental precautions Do not flush into surface water or sanitary sewer system. See Section 12 for additional **Environmental precautions** ecological Information. Methods and material for containment and cleaning up Methods for containment Prevent further leakage or spillage if safe to do so. Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards 7. HANDLING AND STORAGE Precautions for safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing Advice on safe handling vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required. Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Strong oxidizing agents

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
SILICON CARBIDE 409-21-2	TWA: 10 mg/m³ nonfibrous, inhalable fraction, particulate matter containing no asbestos and <1% crystalline silica TWA: 3 mg/m³ nonfibrous, respirable fraction, particulate matter containing no asbestos and <1% crystalline silica TWA: 0.1 fiber/cm3 respirable fibers, including whiskers, length >5 μm, aspect ratio >=3:1 as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination.	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
ZINC OXIDE 1314-13-2	STEL: 10 mg/m <sup>3</sup> respirable fraction TWA: 2 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> fume (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) STEL: 10 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup> Ceiling: 15 mg/m <sup>3</sup> dust TWA: 5 mg/m <sup>3</sup> dust and fume STEL: 10 mg/m <sup>3</sup> fume

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.	
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Paste
Appearance	Gray
Odor	Petroleum

Odor threshold	No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range	<u>Values</u> No information available No information available > 288 °C / >550 °F	Remarks • Method
Flash point Evaporation rate Flammability (solid, gas)	182 °C / 360 °F <0.01 No information available	Cleveland Open Cup Butyl acetate = 1
Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure	7.0% 0.9% No information available	
Vapor density Relative density Water solubility	No information available 1.31 No information available	
Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature	No information available No information available No information available No information available	
Kinematic viscosity Dynamic viscosity Explosive properties	No information available No information available No information available	
Oxidizing properties <u>Other Information</u>	No information available	
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available 0 No information available No information available	

## **10. STABILITY AND REACTIVITY**

#### <u>Reactivity</u> No data available

#### Chemical stability

Stable under recommended storage conditions

#### Possibility of Hazardous Reactions

None under normal processing.

## Conditions to avoid

Excessive heat.

#### Incompatible materials Strong oxidizing agents

## Hazardous Decomposition Products

Carbon oxides

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation

May cause irritation of respiratory tract.

Eye contact

Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact

May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.

Ingestion

Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ZINC OXIDE	> 5000 mg/kg (Rat)	-	-
1314-13-2			

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity	The table be	The table below indicates whether each agency has listed any ingredient as a carcinogen.		
Chemical Name	ACGIH	IARC	NTP	OSHA
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC 64742-52-5	A2	Group 1	-	X
SILICON CARBIDE 409-21-2	A2	-	-	_

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present Target Organ Effects

Eyes, Respiratory system, Skin.

## The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 49965 mg/kg

## **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

41.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
DISTILLATES (PETROLEUM),	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
HYDROTREATED HEAVY		mg/L LC50	ÉC50
NAPHTHENIC		-	
64742-52-5			

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Mobility

No information available.

#### Other adverse effects

No information available

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ZINC OXIDE	Toxic
1314-13-2	

## 14. TRANSPORT INFORMATION

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

## **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
ZINC OXIDE - 1314-13-2	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	No	

Personal protection B

Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ZINC OXIDE	-	Х	-	-
1314-13-2				

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
SILICON CARBIDE	X	X	Х
409-21-2			
ZINC OXIDE	X	Х	Х
1314-13-2			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### WHMIS Hazard Class

D2B - Toxic materials

#### **16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

Instability 0

Physical hazards 0

Flammability 1

Flammability 1

NFPA	Health hazards 1	
HMIS	Health hazards 1	

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

#### **Revision Date** 11-Mar-2016

#### Disclaimer

......

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**