

Revision Date 11-Feb-2016

# SAFETY DATA SHEET

Version 5

# **1. IDENTIFICATION**

Product identifier Product Name	HIGH TEMPERATURE THREAD SEALANT 250 ML
Other means of identification Product Code	59225
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Sealant
Uses advised against	No information available
Details of the supplier of the safety	data sheet_
Manufacturer Address	Distributor
ITW Permatex	ITW Permatex Canada
6875 Parkland Blvd.	35 Brownridge Road, Unit 1
Solon, OH 44139 USA	Halton Hills, ON Canada L7G 0C6
	Telephone: (800) 924-6994
Company Phone Number	1-87-Permatex
	(877) 376-2839
24 Hour Emergency Phone Number	
	International Emergency:
	00+1+ 813-248-0585
	Contract Number: MIS0003453
E-mail address	mail@permatex.com

# 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

NOTE: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (repeated exposure)	Category 2

## Label elements

## **Emergency Overview**

## Warning

Causes skin irritation Causes serious eye irritation May cause damage to organs through prolonged or repeated exposure



Physical state Paste

Odor Mild

## **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

## **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

## Other Information

- Harmful to aquatic life with long lasting effects

- Carcinogenic effects: Not applicable

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
POLYGLYCOL DIMETHACRYLATE	25852-47-5	10 - 30	*
DIMETHYLBENZYL HYDROPEROXIDE	80-15-9	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.

	Wash contaminated clothing before reuse.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Use personal protective equipment as required.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	See section 2 for more information.
Indication of any immediate medic	al attention and special treatment needed
Note to physicians	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Dry chemical,	Foam
<u>Unsuitable extinguishing media</u> None.	
Specific hazards arising from the c None in particular.	<u>hemical</u>
Explosion data	
Sensitivity to Mechanical Impact	None. None.
Sensitivity to Mechanical Impact Sensitivity to Static Discharge <u>Protective equipment and precauti</u> As in any fire, wear self-contained bre	None.
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre	None. ons for firefighters
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear.	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective e	None.  ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full  6. ACCIDENTAL RELEASE MEASURES guipment and emergency procedures_
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective en Personal precautions	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective en Personal precautions Environmental precautions	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective e Personal precautions Environmental precautions Environmental precautions	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and ski Use personal protective equipment as required. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective e Personal precautions Environmental precautions Environmental precautions Methods and material for containm	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full <b>6. ACCIDENTAL RELEASE MEASURES</b> quipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin Use personal protective equipment as required. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective en Personal precautions Environmental precautions Environmental precautions Methods and material for containment Methods for containment	None. ons for firefighters beathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full <b>6. ACCIDENTAL RELEASE MEASURES</b> quipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin Use personal protective equipment as required. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear.	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skir Use personal protective equipment as required. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information. ment and cleaning up Prevent further leakage or spillage if safe to do so. Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

## Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling Wash contaminated clothing before reuse. Use personal protective equipment as required				
Conditions for safe storage, includi	Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.				
Incompatible materials	Strong oxidizing agents, Amines				
8. EX	POSURE CONTROLS/PERSONAL PROTECTION				
Control parameters					
Exposure Guidelines NIOSH IDLH Immediately Dangerous	s to Life or Health				
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).				

## Appropriate engineering controls

Engineering Controls	Showers	
	Eyewash stations	
	Ventilation systems	

## Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Paste White Mild No information available	
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	Values No information available No information available > 149 °C / >300 °F > 93 °C / > 200 °F No information available No information available	<u>Remarks • Method</u>
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density	No information available No information available No information available >1 1.16-1.26	Air = 1

Water solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Other Information	
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	<3%
Density	No information available

# **10. STABILITY AND REACTIVITY**

No information available

#### Reactivity No data available

**Bulk density** 

## Chemical stability

Stable under recommended storage conditions

## Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Excessive heat.

## Incompatible materials

Strong oxidizing agents, Amines

#### Hazardous Decomposition Products

Carbon oxides

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat)4 h

#### Information on toxicological effects

Symptoms

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity IARC (International Agency for Rese Group 2B - Possibly Carcinogenic to H Not classifiable as a human carcinoge	lumans			
0	alth Administration of the US Department of Labor)			
Target Organ Effects	Lungs, Respiratory system.			
The following values are calculated	based on chapter 3.1 of the GHS document			
ATEmix (oral)	15776 mg/kg			
ATEmix (dermal)	28813 mg/kg			
ATEmix (inhalation-dust/mist)	50.1 mg/l			

# 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

9.881 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
DIMETHYLBENZYL	-	3.9: 96 h Oncorhynchus mykiss	7: 24 h Daphnia magna mg/L EC50
HYDROPEROXIDE		mg/L LC50 static	
80-15-9		-	

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### **Mobility**

No information available.

#### Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
DIMETHYLBENZYL	-	-	-	U096
HYDROPEROXIDE				
80-15-9				

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
DIMETHYLBENZYL HYDROPEROXIDE	Toxic
80-15-9	Ignitable

## **14. TRANSPORT INFORMATION**

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not determined
ENCS	Not determined
IECSC	Complies
KECL	Complies
PICCS	Not determined
AICS	Complies

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0	
SACCHARIN - 81-07-2	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIMETHYLBENZYL	10 lb	-	RQ 10 lb final RQ
HYDROPEROXIDE			RQ 4.54 kg final RQ
80-15-9			

## US State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65		
TITANIUM DIOXIDE - 13463-67-7	Carcinogen		

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
SILICA, MICA	Х	Х	Х
12001-26-2			
TITANIUM DIOXIDE	Х	Х	Х
13463-67-7			
PROPYLENE GLYCOL	X	-	X
57-55-6			
DIMETHYLBENZYL	X	X	X
HYDROPEROXIDE			
80-15-9			
SACCHARIN	Х	X	X
81-07-2			
WATER	-	-	Х
7732-18-5			

#### U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

#### WHMIS Hazard Class

D2B - Toxic materials

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA_	Health hazards 2	Flammability 1	Instability 0	-
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 11-Feb-2016

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet