SAFETY DATA SHEET

1. Identification		
Product identifier	Zip Grip GPE 3 14gm tube	
Other means of identification		
SKU#	70144	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	978-777-1100	
Fax		
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
	Specific target organ toxicity following single exposure	Category 3 respiratory tract irritation
Environmental hazards	Not classified.	
Label elements		
	$\langle \cdot \rangle$	
Signal word	Warning	
Hazard statement	Causes skin irritation. May cause an allergic s cause respiratory irritation.	kin reaction. Causes serious eye irritation. May
Precautionary statement		
Prevention	Avoid breathing mist/vapours. Wash thorough well-ventilated area. Contaminated work clothin Wear eye protection/face protection. Wear pro-	ing should not be allowed out of the workplace.
Response	IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Store in a well-ventilated place. Keep contained	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Other hazards	None known.	

100 % of the mixture consists of component(s) of unknown acute oral toxicity. 100 % of the mixture consists of component(s) of unknown acute dermal toxicity. 100 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 100 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100 % of the mixture consists of consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHYL 2-CYANOACRYLATE		7085-85-0	60 - 100

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures		
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison centre or doctor/physician if you feel unwell.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if symptoms occur.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.	
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.	

7. Handling and storage			
recautions for safe handling	Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.		
onditions for safe storage, ncluding any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).		
8. Exposure controls/pers	sonal protection		
occupational exposure limits			
US. ACGIH Threshold Limit Components	Values Type	Value	
ETHYL 2-CYANOACRYLATE (CAS 7085-85-0)	STEL	1 ppm	
	TWA	0.2 ppm	
Canada. Alberta OELs (Occ Components	upational Health & Safety Code, Sche Type	dule 1, Table 2) Value	
ETHYL 2-CYANOACRYLATE (CAS	TWA	1 mg/m3	
7085-85-0)		0.2 ppm	
Canada. British Columbia C	ELs. (Occupational Exposure Limits f	for Chemical Substances, Occupational Health and	
Safety Regulation 296/97, as	s amended)	-	
Components	Туре	Value	
ETHYL 2-CYANOACRYLATE (CAS 7085-85-0)	TWA	0.2 ppm	
Canada. Manitoba OELs (Re Components	eg. 217/2006, The Workplace Safety An Type	nd Health Act) Value	
ETHYL 2-CYANOACRYLATE (CAS 7085-85-0)	STEL	1 ppm	
	TWA	0.2 ppm	
Canada. Ontario OELs. (Cor	ntrol of Exposure to Biological or Che		
Components	Туре	Value	
	Type TWA	Value 0.2 ppm	
Components ETHYL 2-CYANOACRYLATE (CAS 7085-85-0)	-	0.2 ppm	
Components ETHYL 2-CYANOACRYLATE (CAS 7085-85-0) Canada. Saskatchewan OEL	TWA _s (Occupational Health and Safety Re	0.2 ppm egulations, 1996, Table 21)	
Components ETHYL 2-CYANOACRYLATE (CAS 7085-85-0) Canada. Saskatchewan OEL Components ETHYL 2-CYANOACRYLATE (CAS	TWA ∟s (Occupational Health and Safety Re Type	0.2 ppm egulations, 1996, Table 21) Value	
Components ETHYL 2-CYANOACRYLATE (CAS 7085-85-0) Canada. Saskatchewan OEL Components ETHYL 2-CYANOACRYLATE (CAS 7085-85-0)	TWA -s (Occupational Health and Safety Re Type 15 minute	0.2 ppm egulations, 1996, Table 21) Value 0.6 ppm 0.2 ppm	
Components ETHYL 2-CYANOACRYLATE (CAS 7085-85-0) Canada. Saskatchewan OEL Components ETHYL 2-CYANOACRYLATE (CAS 7085-85-0) iological limit values ppropriate engineering	TWA -s (Occupational Health and Safety Re Type 15 minute 8 hour No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recomr	0.2 ppm egulations, 1996, Table 21) Value 0.6 ppm 0.2 ppm • the ingredient(s). ed. Ventilation rates should be matched to conditions. If hocal exhaust ventilation, or other engineering controls to nended exposure limits. If exposure limits have not been	
Components ETHYL 2-CYANOACRYLATE (CAS 7085-85-0) Canada. Saskatchewan OEL Components ETHYL 2-CYANOACRYLATE (CAS 7085-85-0) Siological limit values ppropriate engineering ontrols	TWA Ls (Occupational Health and Safety Re Type 15 minute 8 hour No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recomr established, maintain airborne levels telew	0.2 ppm egulations, 1996, Table 21) Value 0.6 ppm 0.2 ppm the ingredient(s). ed. Ventilation rates should be matched to conditions. If hocal exhaust ventilation, or other engineering controls to nended exposure limits. If exposure limits have not been o an acceptable level. Provide eyewash station and safety ent	
Components ETHYL 2-CYANOACRYLATE (CAS 7085-85-0) Canada. Saskatchewan OEL Components ETHYL 2-CYANOACRYLATE (CAS 7085-85-0) Biological limit values appropriate engineering ontrols	TWA -s (Occupational Health and Safety Re Type 15 minute 8 hour No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recomr established, maintain airborne levels t shower. such as personal protective equipment	0.2 ppm egulations, 1996, Table 21) Value 0.6 ppm 0.2 ppm • the ingredient(s). ed. Ventilation rates should be matched to conditions. If iccal exhaust ventilation, or other engineering controls to nended exposure limits. If exposure limits have not been o an acceptable level. Provide eyewash station and safety ent ur cartridge and full facepiece.	

Material name: Zip Grip GPE 3 14gm tube

Respiratory protection	Chemical respirator with organic vapour cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
0 Dhunda al an d'altantia a	

9. Physical and chemical properties		
Appearance	Liquid.	
Physical state	Liquid.	
Form	Liquid.	
Colour	Clear colorless or nearly colorless	
Odour	Pungent.	
Odour threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit – upper (%)	Not available.	
Vapour pressure	0.39 hPa estimated	
Vapour density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Density	0.90 - 1.10 g/cm3	
Explosive properties	Not explosive.	
Oxidising properties	Not oxidising.	
Specific gravity	0.9 - 1.1	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.

11. Toxicological information

Th. Toxicological informa			
Information on likely routes of e	exposure		
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.		
Skin contact	Causes skin irritation. May cause an allergic skin reaction.		
Eye contact	Causes serious eye irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological eff	ects		
Acute toxicity	Not known.		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritatio	on.	
Respiratory or skin sensitisatio	n		
ACGIH sensitisation			
CYANOACRYLATES, E ⁻ (CAS 7085-85-0)	THYL AND METHYL	Dermal sensitisation	
· · · · ·		Respiratory sensitisation	
Canada - Manitoba OELs Ha			
ETHYL 2-CYANOACRYI Canada - Manitoba OELs Ha		Dermal sensitisation ation	
ETHYL 2-CYANOACRYI	_ATE (CAS 7085-85-0)	Respiratory sensitisation	
Respiratory sensitisation	Not a respiratory sensitizer		
Skin sensitisation	May cause an allergic skin		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not available.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	May cause respiratory irritation.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may b	be harmful.	
12. Ecological informatio	n		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ons		
Disposal instructions		ose in sealed containers at licensed waste disposal site. Dispose of dance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with		
Hazardous waste code	The waste code should be disposal company.	assigned in discussion between the user, the producer and the waste	

Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

ETHYL 2-CYANOACRYLATE (CAS 7085-85-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

Country(s) or region

United States & Puerto Rico

Inventory name

Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other informat	ion
Issue date	02-December-2021
Version No.	01
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.