

SDS No.:

1879



Wood Preservative

SECTION 1. IDENTIFICATION

Product Identifier Wood Preservative

Other Means of 13-711, 13-714, 13-718, 33-711H, 33-714H, 33-721ARM, 33-724ARM, 33-728ARM,

Identification BULK-13710, 33-761ARM, 33-764ARM, 33-764H, 33-768ARM

Recommended Use Please refer to Product label.

Restrictions on Use None known.

Manufacturer/Supplier Recochem Inc., 850 Montee de Liesse, Montreal, QC, H4T 1P4, Compliance and Regulatory

Identifier Department, 905-878-5544, www.recochem.com

Emergency Phone No. CANUTEC, 613-996-6666, 24 Hours

SDS No. 1879

SECTION 2. HAZARD IDENTIFICATION

Classification

Flammable liquid - Category 3; Skin irritation - Category 2; Eye irritation - Category 2A; Germ cell mutagenicity - Category 1B; Carcinogenicity - Category 1B; Reproductive toxicity - Category 2; Specific target organ toxicity (single exposure) - Category 3; Specific target organ toxicity (repeated exposure) - Category 2; Aspiration hazard - Category 1

Label Elements







Signal Word: Danger

Hazard Statement(s):

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 + H320 Causes skin and eye irritation. H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs (nervous system) through prolonged or repeated exposure if inhaled.

Precautionary Statement(s):

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

Product Identifier: Wood Preservative - Ver. 1

Date of Preparation: August 03, 2017

Date of Last Revision: March 06, 2018 Page 01 of 10

| P240 P241 | Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment. |
|--------------|---|
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe fume, mist, vapours, spray. |
| P264 | Wash hands and skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/eye protection/face protection. |

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

P330 Rinse mouth.

P331 Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower.

P312 Call a POISON CENTRE or doctor if you feel unwell.
P332 + P313 If skin irritation occurs: Get medical advice or attention.
Take off contaminated clothing and wash it before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTRE or doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P312 Call a POISON CENTRE or doctor if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice or attention.

P370 + P378 In case of fire: Use appropriate foam, carbon dioxide, dry chemical powder, water spray or fog to

extinguish.

Storage:

Store in a well ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable regional, national and local laws and regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

| Chemical Name | CAS No. | % | Other Identifiers | Other Names |
|--|------------|-------|-------------------|-------------|
| Stoddard solvent | 8052-41-3 | 65-85 | | |
| Zinc Naphthenate (14-16% zinc) | 12001-85-3 | 7-13 | | |
| Solvent naphtha (petroleum), medium aliph. | 64742-88-7 | 7-13 | | |
| Hydrotreated kerosene | 64742-47-8 | 1-5 | | |
| n-Nonane | 111-84-2 | 1-5 | | |
| 1,2,4-Trimethylbenzene | 95-63-6 | 1-5 | | |
| Naphthalene | 91-20-3 | 0.1-1 | | |

Notes

Use of Generic SDS:

If the concentration or actual concentration range of an ingredient of a particular hazardous product in the series is

Product Identifier: Wood Preservative - Ver. 1 SDS No.: 1879

Date of Preparation: August 03, 2017

Date of Last Revision: March 06, 2018 Page 02 of 10

different from the concentration or actual concentration range disclosed for the rest of the series, either the concentration or the actual concentration range must be indicated beside that ingredient under item 3 (Composition/Information on ingredients) of the SDS. Furthermore, if any other specific information element(s) (such as flash point, numerical measure of toxicity, etc.) for a particular hazardous product in the series differs from that of the other products in the series (without affecting the classification), the information element relevant to that hazardous product must be disclosed on the SDS with an indication to which hazardous product each relates.

Source: Health Canada - Technical Guidance on the Requirements of the Hazardous Products Act and the Hazardous Products Regulations WHMIS 2015 Supplier Requirements - pg 117

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Take precautions to ensure your own safety before attempting rescue (e.g. wear appropriate protective equipment). Remove source of exposure or move to fresh air. Keep at rest in a position comfortable for breathing. If breathing has stopped, trained personnel should begin rescue breathing. If the heart has stopped, trained personnel should start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Avoid mouth-to-mouth contact by using a barrier device. Immediately call a Poison Centre or doctor.

Skin Contact

Avoid direct contact. Wear chemical protective clothing if necessary. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Call a Poison Centre or doctor if you feel unwell. If skin irritation occurs, get medical advice or attention. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely.

Eye Contact

Avoid direct contact. Wear chemical protective gloves if necessary. Quickly and gently blot or brush chemical off the face. Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists, get medical advice or attention.

Ingestion

Do not induce vomiting. Rinse mouth with water. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. If breathing has stopped, trained personnel should immediately begin rescue breathing. Immediately call a Poison Centre or doctor.

Most Important Symptoms and Effects, Acute and Delayed

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin, respiratory system.

Special Instructions

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Medical Conditions Aggravated by Exposure

Dermatitis.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Product Identifier: Wood Preservative - Ver. 1 SDS No.:

Date of Preparation: August 03, 2017

Date of Last Revision: March 06, 2018 Page 03 of 10

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Product

Flammable liquid and vapour. Can ignite at room temperature. Releases vapour that can form explosive mixture with air. Can be ignited by static discharge. Can accumulate static charge by flow, splashing or agitation. Liquid can float on water and may travel to distant locations and/or spread fire. See Section 9 (Physical and Chemical Properties) for flash point and explosive limits. Closed containers may rupture violently when heated releasing contents. In a fire, the following hazardous materials may be generated: irritating chemicals; toxic chemicals; very toxic carbon monoxide, carbon dioxide.

Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills. See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

No special precautions are necessary. Evacuate downwind locations. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Eliminate all ignition sources. Use grounded, explosion-proof equipment.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

Conditions for Safe Storage

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Product Identifier: Wood Preservative - Ver. 1

Date of Preparation: August 03, 2017

Date of Last Revision: March 06, 2018 Page 04 of 10

SDS No.:

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| | ACGIH TLV® | | OSHA PEL | | AIHA WEEL | |
|--|-----------------|--------------------|-----------------|-----------------|-----------|-----|
| Chemical Name | TWA | STEL | TWA | Ceiling | 8-hr TWA | TWA |
| Hydrotreated kerosene | 200 mg/m3 A3 | Not established | Not established | Not established | | |
| Stoddard solvent | 100 ppm | Not established | 100 ppm | Not established | | |
| Naphthalene | 10 ppm A3 | Not established | 10 ppm | 15 ppm | | |
| n-Nonane | 200 ppm | Not established | 200 ppm | Not established | | |
| 1,2,4-Trimethylbenzene | 25 ppm | Not established | 25 ppm | Not established | | |
| Zinc Naphthenate (14-16% zinc) | Not established | Not established | Not established | Not established | | |
| Solvent naphtha (petroleum), medium aliph. | 100 ppm | Not established | 400 ppm | 500 ppm | | |

Appropriate Engineering Controls

General ventilation is usually adequate. For large scale use of this product: use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Use non-sparking ventilation systems, approved explosion-proof equipment and intrinsically safe electrical systems in areas where this product is used and stored. Control static electricity discharges which includes bonding of equipment to ground. Use only non-combustible, compatible materials for walls, floors, ventilation system, air cleaning devices, pallets, shelving. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Not normally required if product is used as directed. For non-routine or emergency situations: wear a NIOSH approved air-purifying respirator with an appropriate cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Available in these colours: Clear, Yellow, Gold, Red, Blue, Green, Amber, Pink,

Orange, Purple, White, Brown, Grey.

Odour Hydrocarbon
Odour Threshold Not available
pH Not available

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/Range Not available

Flash Point 42 °C (108 °F) (closed cup)

Evaporation Rate Not available Flammability (solid, gas) Not applicable

Upper/Lower Flammability or

Explosive Limit

5.6% (upper); 0.8% (lower)

Product Identifier: Wood Preservative - Ver. 1 SDS No.: 1879

Date of Preparation: August 03, 2017

Date of Last Revision: March 06, 2018 Page 05 of 10

Not available **Vapour Pressure** Vapour Density (air = 1) Not available

Relative Density (water = 1) 0.810 - 0.830 at 20 °C (68 °F)

Solubility Insoluble in water; Not available (in other liquids) Not available

Partition Coefficient,

n-Octanol/Water (Log Kow) **Auto-ignition Temperature**

Decomposition Temperature

260 °C (500 °F) Not available

Viscosity Not available (kinematic); Not available (dynamic)

Other Information

Physical State Liquid

Molecular Weight Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity

None known.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

Open flames, sparks, static discharge, heat and other ignition sources. Temperatures above 43.0 °C (109.4 °F)

Incompatible Materials

Reacts explosively with: strong oxidizing agents (e.g. perchloric acid).

Not corrosive to metals.

Hazardous Decomposition Products

None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Skin contact; eye contact; inhalation.

Acute Toxicity

| Chemical Name | LC50 | LD50 (oral) | LD50 (dermal) |
|--|--------------------------------------|--------------------|------------------------|
| Hydrotreated kerosene | > 5 mg/L (rat) (4-hour exposure) | > 5000 mg/kg (rat) | > 2000 mg/kg (rabbit) |
| Stoddard solvent | > 5500 mg/m3 (rat) (4-hour exposure) | 5000 mg/kg (rat) | > 3000 mg/kg (rabbit) |
| Naphthalene | 739.2 mg/m3 (rat) (4-hour exposure) | 316 mg/kg (mouse) | > 20000 mg/kg (rabbit) |
| n-Nonane | 3200 ppm (rat) (4-hour exposure) | 15 g/kg (rat) | Not available |
| 1,2,4-Trimethylbenzene | 18000 mg/m3 (rat) | 5000 mg/kg (rat) | Not available |
| Zinc Naphthenate (14-16% zinc) | Not available | 4920 mg/kg (rat) | > 2000 mg/kg (rabbit) |
| Solvent naphtha (petroleum), medium aliph. | > 14.1 mg/L (rat) (4-hour exposure) | > 6212 mg/kg (rat) | > 3000 mg/kg (rabbit) |

Product Identifier: Wood Preservative - Ver. 1

Date of Preparation: August 03, 2017

Date of Last Revision: March 06, 2018 Page 06 of 10

SDS No.:

LC50: Not applicable.
ATE Oral: 4538 mg/kg
ATE Dermal: 2677 mg/kg
Skin Corrosion/Irritation

Animal tests show moderate or severe irritation.

Serious Eye Damage/Irritation

Human experience shows mild irritation. The vapour also irritates the eyes.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause depression of the central nervous system. Symptoms may include headache, nausea, dizziness, drowsiness and confusion. Nose and throat irritation. At high concentrations.

Skin Absorption

No information was located.

Ingestion

Not harmful based on animal tests.

Aspiration Hazard

Can cause lung damage if aspirated based on human experience. Death can result.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Causes damage to organs based on studies in people. If inhaled: effects similar to STOT (Specific Target Organ Toxicity) - Single Exposure, as described above, effects on the central nervous system, "organic solvent syndrome". Causes Following skin contact: dermatitis. Symptoms may include dry, red, cracked skin (dermatitis). effects similar to STOT (Specific Target Organ Toxicity) - Single Exposure, as described above.

May cause damage to organs based on limited evidence. If inhaled and/or following skin contact: at high concentrations harmful effects on the kidneys, harmful effects on the liver.

May cause damage to organs based on limited evidence. If inhaled and/or following skin contact: blood tests may show abnormal results.

Harmful based on animal studies. If swallowed: harmful effects on the kidneys.

Respiratory and/or Skin Sensitization

No information was located. No information was located.

Carcinogenicity

| Chemical Name | IARC | ACGIH® | NTP | OSHA |
|--|------------|----------------|------------------------|------------|
| Hydrotreated kerosene | Group 3 | A3 | Not Listed | Listed |
| Stoddard solvent | Group 3 | Not designated | Not Listed | Not Listed |
| Naphthalene | Group 2B | A3 | Reasonably anticipated | Not Listed |
| n-Nonane | Not Listed | Not designated | Not Listed | Not Listed |
| 1,2,4-Trimethylbenzene | Not Listed | Not designated | Not Listed | Not Listed |
| Zinc Naphthenate (14-16% zinc) | Not Listed | Not designated | Not Listed | Not Listed |
| Solvent naphtha (petroleum), medium aliph. | Group 3 | Not designated | Not Listed | Not Listed |

Product Identifier: Wood Preservative - Ver. 1

Date of Preparation: August 03, 2017

Date of Last Revision: March 06, 2018 Page 07 of 10

SDS No.:

Reproductive Toxicity

Development of Offspring

Conclusions cannot be drawn from the limited studies available.

Sexual Function and Fertility

No information was located.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

May be mutagenic based on limited evidence. (Stoddard solvent)

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

This section is not required by OSHA HCS 2012.

Ecotoxicity

Acute Aquatic Toxicity

| Chemical Name | LC50 Fish | EC50 Crustacea | ErC50 Aquatic Plants | ErC50 Algae |
|--|--|---|----------------------|-------------|
| Hydrotreated kerosene | 2.2 mg/L (Lepomis macrochirus (bluegill); 96-hour) | Not available | | |
| Stoddard solvent | Not available | Not available | | |
| Naphthalene | 0.9-9.8 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; fresh water) | Not available | | |
| n-Nonane | Not available | Not available | | |
| 1,2,4-Trimethylbenzene | 7.72 mg/L (Pimephales promelas (fathead minnow); 96-hour) | Not available | | |
| Zinc Naphthenate (14-16% zinc) | 1530 ug/L (Lepomis macrochirus (bluegill); 96-hour; fresh water; flow-through) | 4600 ug/L (Daphnia magna (water flea); 48-hour; fresh water; static) | | |
| Solvent naphtha (petroleum), medium aliph. | 800 mg/L (Pimephales promelas (fathead minnow); 96-hour) | Not available | | |

Chronic Aquatic Toxicity

| Chemical Name | NOEC Fish | EC50 Fish | NOEC Crustacea | EC50 Crustacea |
|-----------------------|--|-----------|----------------|----------------|
| Hydrotreated kerosene | Not available | | Not available | |
| Stoddard solvent | Not available | | Not available | |
| Naphthalene | 1.8 mg/L (Oncorhynchus mykiss (rainbow | | Not available | |

Product Identifier: Wood Preservative - Ver. 1

March 06, 2018

Date of Preparation: August 03, 2017

Date of Last Revision:

Page 08 of 10

1879

SDS No.:

| | trout); 3 days; fresh water) | | |
|--|------------------------------|---------------|--|
| n-Nonane | Not available | Not available | |
| 1,2,4-Trimethylbenzene | Not available | Not available | |
| Zinc Naphthenate (14-16% zinc) | Not available | Not available | |
| Solvent naphtha (petroleum), medium aliph. | Not available | Not available | |

Persistence and Degradability

No information was located.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14. TRANSPORT INFORMATION

| Regulation | UN No. | Proper Shipping Name | Transport Hazard Class(es) | Packing Group |
|--------------|--------|-------------------------------|-------------------------------|------------------|
| Canadian TDG | 1268 | PETROLEUM DISTILLATES, N.O.S. | 3 | III |
| US DOT | 1268 | PETROLEUM DISTILLATES, N.O.S. | 3 | III |

Special Precautions

Please note: In containers of 450 L or less this product is not classified as a Dangerous Good according to TDG Exemption 1.33

In containers of 450L of less, this product meets the requirements of DOT exemption as per 49 CFR, section 173.150 (f).

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Proof of Dangerous Goods Classification

Date of Classification August 03, 2017

Technical Name PETROLEUM DISTILLATES, N.O.S.

Classification 3 PG III

Classification Method Flashpoint as per Section 9

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Product Identifier: Wood Preservative - Ver. 1 SDS No.: 1879

Date of Preparation: August 03, 2017

Date of Last Revision: March 06, 2018 Page 09 of 10

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

Additional USA Regulatory Lists

California Proposition 65: WARNING: Cancer - www.P65Warnings.ca.gov/product.

Custom Regulatory 1

Consumer Product Safety Improvement Act of 2008 General Conformity Certification

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

SECTION 16. OTHER INFORMATION

SDS Prepared By Compliance and Regulatory Department

Phone No. 905-878-5544 **Date of Preparation** August 03, 2017 Date of Last Revision March 06, 2018

Revision Indicators The following SDS content was changed on March 06, 2018:

SECTION 2. HAZARD IDENTIFICATION; Classification.

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). Additional Information We are committed to uphold the Industry Consumer Ingredient Communication Voluntary

Initiative.

Please send us your request by visiting our website at www.recochem.com.

Ingredients present (intentionally added ingredients) at a concentration of greater than one percent (1%) shall be listed in descending order of predominance. Ingredients present at a concentration of not more than one percent shall be listed but may be disclosed without

respect to order of predominance.

Disclaimer Notice to reader: To the best of our knowledge, the information contained herein is accurate.

> However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are

described herein, we cannot guarantee that these are the only hazards that exist.

Wood Preservative - Ver. 1 Product Identifier:

Date of Preparation: August 03, 2017

Date of Last Revision: Page March 06, 2018 10 of 10



SDS No.: 1879