

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name ABC SUPER 90 DRY CHEMICAL

Other means of identification

Synonyms Multi-purpose Dry Chemical

Recommended use of the chemical and restrictions on use

Recommended Use Fire Suppression

Uses advised against Not for human or animal drug use

Details of the Supplier of the Safety Data Sheet

Extinguisher Manufacturer STRIKE FIRST CORPORATION

777 Tapscott Rd. Toronto Ontario

M1X 1A2

Contact Information Phone: (416) 299-7767

Fax: (416) 299-8039

Email: info@strike-first.com

Chemical Supplier Name STEEL FIRE EQUIPMENT LTD.

Supplier Address 150 SUPERIOR BLVD. MISSISAUGA ON

L52 2L2 CANADA

Supplier Contact Numbers Phone: (905) 564-1500

Fax: (905) 564-0008

Email: sales@steelfire.com

Emergency Telephone Number CHEMTREC 1-800-424-9300 or

(703) 527-3887

2. HAZARDS IDENTIFICATION

This SDS covers the products as sold in pressurized and non-pressurized containers. GHS classifications for both are listed below.

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS Label elements, including precautionary statements

Hazard Symbol	Signal Word	Hazard Statement
	Warning	Contents under pressure, may explode if heated
	Warning	May cause skin, eye or respiratory irritation
***	Warning	Harmful to aquatic life with long lasting effects

Emergency Overview

The product contains no substances which at their concentration, are considered to be hazardous to health.

AppearanceLight YellowPhysical StatePowder(s) SolidOdorOdorless

Precautionary Statements - Prevention

None

Precautionary Statements - Response

None

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

1.2% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Maybe harmful if swallowed

Harmful to aquatic life with long lasting effects May cause slight eye irritation

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms MULTI-PURPOSE DRY CHEMICAL

Chemical Name	CAS No	Weight - %	Trade Secret
Ammonium Sulfate	7783-20-2	1 - 5	*
Fullers Earth	8031-18-3	1 - 5	*
Mica	12001-26-2	1 – 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms

persist, call a physician.

Skin contact Wash with soap and water.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by

mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms No informa

and Effects

No information available.

Indication of any immediate medical attention and special treatment if needed

Notes to Physician Treat symptomatically

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Uniform Fire Code COMBUSTIBLE DUST/POWDER

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHS/NIOSH (approved p or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 & 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Avoid generation of dust. Do not dry sweep dust. Wet dust with water

before sweeping or use a vacuum to collect dust. Pick up and transfer to properly labeled containers. After cleaning flush away traces of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid

contact with skin, eyes, or clothing. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep/store only in original container.

Incompatible Products Strong oxidizing agents. Strong acids. Chlorinated compounds. Sodium

hypochlorite.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH

Mica	TWA: 3 mg/m ³	TWA: 20mppcf (<1%	IDLH: 1500mg/m ³
12001-26-2		crystalline silica)	containing <1% quartz
		3 mg/m ³ (vacated)	TWA: 3 mg/m ³ respirable
		_	dust

ACGIH TLV: American Conference of Government Industrial Hygienist – Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration – Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shield (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protectionNo protective equipment is needed under normal conditions. If exposure limits

are exceeded or irritation is experienced, ventilation and evacuation may be

required. Effective dust mask.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Powder (s)

Appearance Light Yellow Odor Odorless

Color Light Yellow Odor Threshold No information available

 $\begin{array}{cccc} \underline{\textbf{Property}} & \underline{\textbf{Values}} & \underline{\textbf{Remarks}} & \underline{\textbf{Method}} \\ \mathbf{Ph} & 4-5 & \text{None known} \\ \underline{\textbf{Melting}} / \, \underline{\textbf{Freezing point}} & 190 \, \text{C} & \text{None known} \end{array}$

Boiling point /boiling rangeNo data availableNone knownFlash pointNo data availableNone knownEvaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone known

Flammability limit in air

Upper flammability limit Not flammable

Lower flammability limit Not Flammable

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownSpecific gravity0.85None knownWater solubility>33g/100mlNone knownSolubility in other solventsNo data availableNone known

Partition coefficient: n-octanol/water0None knownDecomposition temperature100 – 120 CNone knownKinematic viscosityNo data availableNone known

Dynamic viscosity 0

Explosive propertiesNo data available **Oxidizing properties**No data available

Other information

Softening pointNo data availableVOC content (%)No data availableParticle sizeNo data available

Particle size distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong acids. Chlorinated compounds. Sodium hypochlorite.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Potassium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye contact Contact with eyes may cause irritation.

Skin contact May cause irritation.

Ingestion Specific test data for the substance or mixture is not available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium Sulfate	= 2840mg/kg (Rat)	-	-
7783-20-2			

Information on toxicological effects

Symptoms No information available

Delayed and immediate effects as well as chronic effects from short and long term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredient listed as carcinogen.

Reproductive toxicity No information available.

STOT – single exposure No information available.

STOT – repeated exposureNo information available.

Chronic Toxicity No known effect based on information supplied. Carcinogenic potential is

unknown.

Target Organ Effects None known.

Aspiration Hazard No information available.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

4,350.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effect

Chemical Name	Toxicity to	Toxicity to Fish	Toxicity to	Daphnia Magna
	Algae		microorganisms	(Water Flea)
Ammonium Sulfate		96h LC50: = 250mg/l		
		(Brachydanio rerio) 96h		
		LC50: = 480 mg/L		
		(Brachydanio rerio) 96h		
		LC50: = 32.2 - 41.2 mg/L		
		(Oncorhynchus mykiss) 96h		
		LC50: = 18mg/L (Cyprinun		
		carpio) 96h LC50: =		
		420mg/L (Brachydanio rerio)		
		96h LC50: 5.2 – 8.2mg/L		
		(Oncorhynchus mykiss) 96h		
		LC50: = >100 mg/L		
		(Phimephales promelas) 96h		
		LC50: 122 – 128mg/L		
		(Poecilia reticulate) 96h		
		LC50: 460 – 1000mg/L		

	(Leiciscus idus)	

Persistence Degradability

Degrades rapidly in humid/wet environment.

Bioaccumulation

Chemical Name	Log Pow
Ammonium Sulfate	-5.1
7783-20-2	

Other adverse effects

No information available

13. DISPOSAL INFORMATION

Waste treatment methods

Disposal methodsThis material, as supplied, is not a hazardous waste according to Federal

regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261. To determine whether the altered material is a hazardous waste, consult the appropriate state, regional, or local regulations for

additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

14. TRANSPORTATION INFORMATION

DOT NOT REGULATED

Proper Shipping Name NON REGULATED

Hazard Class N/A

TDG Not Regulated

MEX Not Regulated

<u>ICAO</u> Not Regulated

IATA Not Regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not Regulated

Hazard Class N/A

<u>IRD</u> Not Regulated

ADR Not Regulated

ADN Not Regulated

NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations. Special Precautions for Shipping:

If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, nontoxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class is Limited Quantity when shipped via highway or rail. Use a Non-Flammable Gas label (class 2.2) when shipping via air.

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of Federal Regulations, Part 372.

Chemical Name	CAS No	Weight - %	SARA 313 – Threshold
			Values %
Mono ammonium	7722-76-1	1 - 5	1.0
Phosphate			

SARA 313/312 Hazard Categories

Acute Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden Release Hazard * Yes
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substance under the Comprehensive Environmental Response and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to release of this material.

US State Regulations

California Proposition 65

^{*-} Only applicable if material is in a pressurized extinguisher.

Steel Fire - ABC Super 90 Revision Date: Feb. 27, 2018

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Butanamide, 2,2' –[3,3' –dichloro[1,1' –biphenyl]-4,4' –diyl – 5468-75-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Mono Ammonium Phosphate 7722-76-1				X	
Mica 12001-26-2	X	X	X		
Methyl H polysiloxane 63148- 57-2	X	X	X		

International Regulations

Mexico

National occupational exposure limits

Component		Carcinogen Status	Exposure Limits
Mica 12001-26-2 (1 -	- 5)		Mexico: TWA=3 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Not Determined

16. OTHER INFOMRATION


NFPA	Health Hazards	1	Flammability	0	Instability	0	Physical and Chemical Hazards – Personal Protection
HMIS	Health Hazards	1	Flammability	0	Instability	0	X

Prepared By Strike First Corporation

777 Tapscott Road Scarborough ON M1X 1A2 Canada

Revision Date Feb 27, 2018

Revision Note Updated GHS Label Elements



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information , and belief at the date of this publication. This information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the test.

END OF SAFETY DATA SHEET

Revision Number: 3