Version 1.6	Revision Date: 2021-04-24		DS Number: 00001028992	Print Date: 2021-04-25 Date of last issue: 13.01.2021 Date of first issue: 27.09.2012	
SECTION	1. IDENTIFICATION				
Produ	ict name	:	: Shell Rotella T6 0W-40		
Produ	ict code	:	001E3851		
Manu	facturer or supplier's	deta	ails		
Manu	facturer/Supplier	:	Shell Canada Pr 400 - 4th Avenue Calgary AB T2P Canada	S.W	
Telep Telefa		:	(+1) 8006611600 (+1) 4033848345		
Emer ber	gency telephone num-	:	CHEMTREC (24 (US)	hr): 1 (703) 527-3887 or 1 (800) 424-9300	
Reco	mmended use of the c	her	nical and restriction	ons on use	
Reco	mmended use	:	Engine oil.		

## **SECTION 2. HAZARDS IDENTIFICATION**

## **GHS Classification**

Based on available data this substance / mixture does not meet the classification criteria.

## GHS label elements

Hazard pictograms	No Hazard Symbol required
Signal word	No signal word
Hazard statements	PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.
Precautionary statements	Prevention: No precautionary phrases. Response: No precautionary phrases. Storage: No precautionary phrases.

Version	Revision Date:	SDS Number:	Print Date: 2021-04-25
1.6	2021-04-24	800001028992	Date of last issue: 13.01.2021
			Date of first issue: 27.09.2012

### Disposal:

No precautionary phrases.

## Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Mixture
Substance name	: Shell Rotella T6 0W-40
Chemical nature	<ul> <li>Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains &lt;3% (w/w) DMSO-extract, according to IP346. The highly refined mineral oil is only present as additive diluent. Classification based on DMSO extract content &lt; 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L).</li> <li>* contains one or more of the following CAS-numbers: 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69-9, 68649-12-7, 151006-60-9, 163149-28-8.</li> </ul>

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt	Not Assigned	0 - 90
@40°C) *		
Zinc dialkyl dithiophosphate	84605-29-8	1 - 2.4
Calcium sulphonate	70024-69-0	0.10 - 0.99

#### **SECTION 4. FIRST-AID MEASURES**

If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	<ul> <li>Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>
In case of eye contact	<ul> <li>Flush eye with copious quantities of water.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>

Version 1.6	Revision Date: 2021-04-24	SDS Number: 800001028992	Print Date: 2021-04-25 Date of last issue: 13.01.2021 Date of first issue: 27.09.2012	
If swallowed		: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.		
Most important symptoms and effects, both acute and delayed		<ul> <li>Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.</li> </ul>		
Protection of first-aiders		appropriate pe	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.	
No	tes to physician	: Treat symptom	natically.	

# SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Avoid contact with skin and eyes.	
Environmental precautions	Use appropriate containment to avoid environmentan nation. Prevent from spreading or entering drains, or rivers by using sand, earth, or other appropriate bar	litches or
	Local authorities should be advised if significant spi cannot be contained.	llages

Version 1.6	Revision Date: 2021-04-24	SDS Number: 800001028992	Print Date: 2021-04-25 Date of last issue: 13.01.2021 Date of first issue: 27.09.2012
Methods and materials for containment and cleaning up		Prevent from spr or other containn Reclaim liquid di Soak up residue	bilt. Avoid accidents, clean up immediately. reading by making a barrier with sand, earth nent material. rectly or in an absorbent. with an absorbent such as clay, sand or other and dispose of properly.
Additi	onal advice	see Section 8 of	selection of personal protective equipment this Safety Data Sheet. disposal of spilled material see Section 13 of Sheet.

## SECTION 7. HANDLING AND STORAGE

General Precautions	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk as- sessment of local circumstances to help determine appropri- ate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Avoidance of contact	:	Strong oxidising agents.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Storage		
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	:	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.

Version	Revision Date:	SDS Number:	Print Date: 2021-04-25
1.6	2021-04-24	800001028992	Date of last issue: 13.01.2021
			Date of first issue: 27.09.2012

### SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal-	5 mg/m3	ACGIH
		able particu-	-	
		late matter)		

#### **Biological occupational exposure limits**

No biological limit allocated.

### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures	<ul> <li>The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.</li> </ul>
	Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective

Version 1.6	Revision Date: 2021-04-24	SDS Number: 800001028992	Print Date: 2021-04-25 Date of last issue: 13.01.2021 Date of first issue: 27.09.2012
		Drain down sys nance. Retain drain do subsequent reo Always observe washing hands drinking, and/o protective equi	e good personal hygiene measures, such as after handling the material and before eating, r smoking. Routinely wash work clothing and pment to remove contaminants. Discard con- ning and footwear that cannot be cleaned.
Pers	onal protective equip	ment	
	iratory protection	: No respiratory conditions of us In accordance tions should be If engineering of tions to a level select respirato cific conditions Check with res Where air-filter priate combinatoria	with good industrial hygiene practices, precau- taken to avoid breathing of material. controls do not maintain airborne concentra- which is adequate to protect worker health, ory protection equipment suitable for the spe- of use and meeting relevant legislation. piratory protective equipment suppliers. ing respirators are suitable, select an appro- tion of mask and filter. uitable for the combination of organic gases and particles [Type A/Type P boiling point
Hand	protection		
	marks	gloves approve US: F739) mad suitable chemic gloves Suitabili usage, e.g. free sistance of glov glove suppliers Personal hygie Gloves must or gloves, hands s cation of a non- For continuous through time of 480 minutes wi short-term/spla recognize that may not be ava time maybe acc and replaceme a good predictor	entact with the product may occur the use of ad to relevant standards (e.g. Europe: EN374, le from the following materials may provide cal protection. PVC, neoprene or nitrile rubber ty and durability of a glove is dependent on quency and duration of contact, chemical re- ve material, dexterity. Always seek advice from . Contaminated gloves should be replaced. ne is a key element of effective hand care. hly be worn on clean hands. After using should be washed and dried thoroughly. Appli- perfumed moisturizer is recommended. contact we recommend gloves with break- more than 240 minutes with preference for > here suitable gloves can be identified. For sh protection we recommend the same but suitable gloves offering this level of protection ailable and in this case a lower breakthrough ceptable so long as appropriate maintenance nt regimes are followed. Glove thickness is not or of glove resistance to a chemical as it is the exact composition of the glove material. s should be typically greater than 0.35 mm

Version 1.6	Revision Date: 2021-04-24	SDS Number:Print Date: 2021-04-25800001028992Date of last issue: 13.01.2021Date of first issue: 27.09.2012	
		depending on the glove make and model.	
Eye	protection	: If material is handled such that it could be splashed into eye protective eyewear is recommended.	⊧S,
Skin	and body protection	<ul> <li>Skin protection is not ordinarily required beyond standard work clothes.</li> <li>It is good practice to wear chemical resistant gloves.</li> </ul>	
Ther	mal hazards	: Not applicable	
Prote	ective measures	: Personal protective equipment (PPE) should meet recom- mended national standards. Check with PPE suppliers.	
Envi	ronmental exposure of	ontrols	
Gene	eral advice	<ul> <li>Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water.</li> <li>Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.</li> </ul>	on f
SECTION	I 9. PHYSICAL AND C	EMICAL PROPERTIES	
Арре	earance	: Liquid at high temperatures.	
Colo	ur	: amber	
Odou	ur	: Data not available	
Odou	ur Threshold	: Data not available	
pН		: Not applicable	
pour	point	: -51 °C / -60 °F Method: ASTM D97	
Melti	ng / freezing point	Data not available	
	ng point n point	: Data not available : 226 °C / 439 °F	
		Method: ASTM D92 (COC)	

: Data not available

Evaporation rate

Versior 1.6	Revision Date: 2021-04-24		S Number: 001028992	Print Date: 2021-04-25 Date of last issue: 13.01.2021 Date of first issue: 27.09.2012	
Fla	ammability (solid, gas)	:	Data not availabl	e	
Up	per explosion limit	:	Typical 10 %(V)		
Lo	wer explosion limit	:	Typical 1 %(V)		
Va	pour pressure	:	< 0.5 Pa (20 °C / estimated value(		
Re	elative vapour density	:	> 1 estimated value(	s)	
Re	elative density	:	0.845 (15 °C / 59	°F)	
De	ensity	:	845 kg/m3 (15.0	°C / 59.0 °F)Method: ASTM D4052	
	lubility(ies) Water solubility	:	negligible		
	Solubility in other solvents	:	Data not availabl	e	
	rtition coefficient: n- tanol/water	:	log Pow: > 6 (based on inform	ation on similar products)	
Au	to-ignition temperature	:	> 320 °C / 608 °F	-	
De	ecomposition temperature	:	Data not availabl	e	
	scosity Viscosity, dynamic	:	Data not availabl	e	
	Viscosity, kinematic	:	75 mm2/s (40.0 ° Method: ASTM D		
			13.2 mm2/s (100 Method: ASTM D		
Ex	plosive properties	:	Not classified		
Ox	kidizing properties	:	Data not availabl	e	
Co	onductivity	:	: This material is not expected to be a static accumulator.		

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	The product does not pose any further react addition to those listed in the following sub-particular sub-partic	
Chemical stability	Stable.	

Version 1.6	Revision Date: 2021-04-24	SDS Number: 800001028992	Print Date: 2021-04-25 Date of last issue: 13.01.2021 Date of first issue: 27.09.2012	
Post	sibility of hazardous read S	c- : Reacts with st	rong oxidising agents.	
Conditions to avoid		: Extremes of te	: Extremes of temperature and direct sunlight.	
Inco	mpatible materials	: Strong oxidisir	: Strong oxidising agents.	
Hazardous decomposition products		: No decomposi	: No decomposition if stored and applied as directed.	

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Basis for assessment	: Information given is based on data on the components and
	the toxicology of similar products.Unless indicated otherwise,
	the data presented is representative of the product as a
	whole, rather than for individual component(s).

### Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

### Acute toxicity

#### Product:

Acute oral toxicity	LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

## Skin corrosion/irritation

### Product:

Remarks: Slightly irritating to skin. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Based on available data, the classification criteria are not met.

## Serious eye damage/eye irritation

#### Product:

Remarks: Slightly irritating to the eye. Based on available data, the classification criteria are not met.

## **Components:**

Zinc dialkyl dithiophosphate:

Revision Date:

Version

1.6	2021-04-24	800001028992	Date of last issue: 13.01.2021 Date of first issue: 27.09.2012	
Rem	arks: Based on available	e data, the classificatio	n criteria are not met.	
Res	piratory or skin sensitis	sation		
Proc	duct:			
	arks: Not a skin sensitise ed on available data, the		re not met.	
<u>Com</u>	nponents:			
	<b>tium sulphonate:</b> harks: May cause an aller	gic skin reaction in se	nsitive individuals.	
Rem	Remarks: Classified Skin Sensitiser Category 1B.			
Gerr	n cell mutagenicity			
Proc	duct:			
Gen	otoxicity in vivo	: Remarks: Non m Based on availal	nutagenic ble data, the classification criteria are not met.	
Carc	cinogenicity			
Proc	duct:			
	aarks: Not a carcinogen. ed on available data, the	classification criteria a	ire not met.	
IAR	с		is product present at levels greater than or entified as probable, possible or confirmed by IARC.	
OSI	A		is product present at levels greater than or OSHA's list of regulated carcinogens.	
NTF	5		nis product present at levels greater than or entified as a known or anticipated carcinogen	

SDS Number:

Print Date: 2021-04-25

## **Reproductive toxicity**

Product:

Effects on fertility

: Remarks: Not a developmental toxicant. Does not impair fertility. Based on available data, the classification criteria are not met.

### STOT - single exposure

## Product:

Remarks: Based on available data, the classification criteria are not met.

Version	Revision Date:	SDS Number:	Print Date: 2021-04-25
1.6	2021-04-24	800001028992	Date of last issue: 13.01.2021
			Date of first issue: 27.09.2012

#### STOT - repeated exposure

### Product:

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### **Further information**

#### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal.

ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Basis for assessment	<ul> <li>Ecotoxicological data have not been determined specifically for this product.</li> <li>Information given is based on a knowledge of the components and the ecotoxicology of similar products.</li> <li>Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).</li> </ul>
Ecotoxicity	
Product: Toxicity to fish (Acute toxici- ty)	: Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to crustacean (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic plants (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
/ 15	800001028992

/ersion .6	Revision Date: 2021-04-24		Number: 01028992	Print Date: 2021-04-25 Date of last issue: 13.01.2021 Date of first issue: 27.09.2012		
Toxicity to fish (Chronic tox- icity)		: Re	emarks: Data n	ot available		
	Toxicity to crustacean (Chronic toxicity)		Remarks: Data not available			
Ťoxic	Toxicity to microorganisms (Acute toxicity)		: Remarks: Data not available			
Persi	istence and degradabi	lity				
<u>Prod</u>	uct:					
Biode	Biodegradability		Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but contains components that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund defini- tion: "A non-persistent oil is oil, which, at the time of shipmen consists of hydrocarbon fractions, (a) at least 50% of which, by volume, distills at a temperature of 340°C (645°F) and (b) at least 95% of which, by volume, distils at a temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 or any subsequent revision thereof."			
Bioa	ccumulative potential					
<u>Prod</u>	uct:					
Bioad	ccumulation		emarks: Contaii mulate.	ns components with the potential to bioac-		
	Partition coefficient: n- octanol/water		log Pow: > 6 Remarks: (based on information on similar products)			
Mobi	lity in soil					
<u>Prod</u> Mobil		lf		under most environmental conditions. will adsorb to soil particles and will not be		
		Re	emarks: Floats	on water.		
Othe	r adverse effects					
Addit	Product: Additional ecological infor- mation		Does not have ozone depletion potential, photochemical ozone creation potential or global warming potential. Product is a mixture of non-volatile components, which wi be released to air in any significant quantities under norm conditions of use.			
		Po	oorly soluble mi	xture.		
2 / 15				80000102899		

Version 1.6	Revision Date: 2021-04-24	SDS Number: 800001028992	Print Date: 2021-04-25 Date of last issue: 13.01.2021 Date of first issue: 27.09.2012		
		Causes physica	al fouling of aquatic organisms.		
SECTION	SECTION 13. DISPOSAL CONSIDERATIONS				
Disp	osal methods				
Waste from residues		It is the response toxicity and phy determine the p ods in complian Waste product ground water, of Do not dispose courses Do not dispose drain into the gr contamination. Waste arising fr posed of in acc to a recognised	Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater		
		Pollution from S	International Convention for the Prevention of Ships (MARPOL 73/78) which provides tech- controlling pollutions from ships.		
Conta	aminated packaging	to a recognized the collector or Disposal should	ordance with prevailing regulations, preferably collector or contractor. The competence of contractor should be established beforehand. If be in accordance with applicable regional, cal laws and regulations.		
Local Rema	legislation arks		be in accordance with applicable regional, cal laws and regulations.		

## SECTION 14. TRANSPORT INFORMATION

## **National Regulations**

TDG

Not regulated as a dangerous good

### **International Regulations**

## IATA-DGR

Not regulated as a dangerous good

## IMDG-Code

Not regulated as a dangerous good

Version	Revision Date:	SDS Number:	Print Date: 2021-04-25
1.6	2021-04-24	800001028992	Date of last issue: 13.01.2021
			Date of first issue: 27.09.2012

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

#### Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

### **SECTION 15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

#### The components of this product are reported in the following inventories:

REACH	: Notified with Restrictions.
TSCA	: All components listed.
DSL	: All components listed.

## **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

Version	Revision Date:	SDS Number:	Print Date: 2021-04-25
1.6	2021-04-24	800001028992	Date of last issue: 13.01.2021
			Date of first issue: 27.09.2012

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

0		indicates an amendment from the previous version. The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).
Revision Date	:	2021-04-24

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN